vin#

5111

1st Axle LF __/32 LRO __/32 LRI __/32

2FABP7BV0AX124364

2nd Axle LRO __/32 LRI __/32

RECOMMENDED INFLATION: _____ PSI

NEW / USED

Name of Company: GARCIA CAR 19 Phone No. Truck Number

MAKE	YEAR AND MODEL		SERIAL NUMBER	MOTOR NUMBER	TRANS. NUMBER	DIFF. NUMBER	BODY NUMBER	STYLE NUMBER	PAINT NUMBER	TRIM NUMBER

Mechanics Initials	MILEAGE	LUBRICATION: CHASSIS; MOTOR OIL FILTER; AIR OIL FILTER; AIR CLEANER; FRONT WH. BEARS; AIR COMPRESSOR FILTER; AUTOMATIC TRANS.; TRANS. & DIFF.; UNIV. JOINTS; REAR WHEEL BEARS; SPEEDO CABLE; SWITCH GEARS; REPEATERS; MAJOR TUNE UP; MINOR TUNE UP	LIGHT MOTOR WORK: SPARK PLUGS; DISTRIBUTOR; CARBURETOR; FUEL PUMP; ALL PISTONS; ENGINE O'HAUL	MAJOR REPAIRS: VALVE O'HAUL; TRANSMISSION; TRANS. SEAL; DIFFERENTIAL; BALL JOINTS; BATTERY	ELECTRIC: ALTERNATOR; STARTER; LIGHT; BRAKE SHOES	BRAKES: DRUM TURNING; ADJUST; RELINE; WHEEL CYLINDER; MASTER CYLINDER; FRONT END; WHEEL BALANCE	STR. ENG.	APPEARANCE: WASH + POLISH; PAINTING; BODY + FENDER; RADIATOR - ANTI-FREEZE; WATER PUMP; HOSE + FAN BELT; MUFFLER	COOLING	MISC.: TAILPIPE; TOWING; POWER TAKE OFF; POWER HOIST; AIR COMPRESSOR; WIPER BLADES	COST
	11,496	Safety check	SEE Sheet	Rotation						11-4- 2010
	12,522	Safety check								11-18- 10
	15,101	New Battery							999 hrs	2-18- 11
E.D.	15,360	Safety check	Rotation						1012 hrs	3-22- 11
	15,577	Safety check								4-7- 11
E.D.	16,010	Safety check	Rotation							4-21- 11
	16,270	Quick Safety insp							1088 hrs	5-6- 11
	16,321	Safety insp								5-19- 11
	16,671	Safety insp	NO - LOF						1132 hrs	6-2-11
	17,466	Safety insp	Rotation						1195	6-30- 11
	17,670	Safety insp							1233	7-14- 11
	17,906	safety insp							1290	7-28- 11
	17,927	Safety insp								8-11- 11
	17,934	Safety insp	Replaced Battery						1290	8-25 11
E.D.	18,760	Safety insp	4 New tires Goodyear RSM							9-7- 11
E.D.	19504	Repair Rearview mirror camera								9-21- 11
	19,970	Safety insp								10-6- 11
	21,816	Safety insp - Rotation							1573	10-20- 11
	24,055	Safety insp	Rotation						1699	11-10- 11
	25,322	Safety insp							1774	12-1- 11
E.D.	26,521	Safety insp	LOF	Rotation						12-21- 11
	26856	Safety insp								2-2- 11
E.D.		Safety insp							1946	2-16- 12
E.D.	27,984	Safety insp								3-2- 12
E.D.	29,542	Safety insp								4-26- 12

1st Axle LF __/32 LRO __/32 LRI __/32

2nd Axle LRO __/32 LRI __/32

RECOMMENDED INFLATION: _____ PSI

NEW

USED

Name of Company: Phone No. Truck Number

MAKE	YEAR AND MODEL		SERIAL NUMBER	MOTOR NUMBER	TRANS. NUMBER	DIFF. NUMBER	BODY NUMBER	SETTLE NUMBER	PAINT NUMBER	TRIM NUMBER

Mechanics Initials	MILEAGE	LUBRICATION: CHASSIS	MOTOR OIL FILTER	ATF OIL FILTER	AIR CLEANER	FRONT WH. BRGS	AIR COMPRESSOR FILTER	AUTOMATIC TRANS.	TRANS. & DIFF.	UNIV. JOINTS	NEW WHEEL BRGS REPACKED CARS	SWITCH GEARS	RECEIVERS	MAJOR TUNE UP	MINOR TUNE UP	LIGHT MOTOR WORK: SPARK PLUGS	DISTRIBUTOR	CARBURETOR	FUEL PUMP	ALL FILTERS	MAJOR REPAIRS: ENGINE O'HAUL	VALVE GRIND	TRANSMISSION	TRANS. SEAL	DIFFERENTIAL	BALL JOINTS	BATTERY	ELECTRIC: ALTERNATOR	STARTER	LIGHT	BRAKES: BRAKE SHOES	DRUM TURNING	ADJUST	RELINE	WHEEL CYLINDER	MASTER CYLINDER	FRONT END: WHEEL BALANCE	WASH + POLISH	PAINTING	BODY + FENDER	RADIATOR-ANTI-FREEZE	WATER PUMP	HOSE + FAN BELT	MUFFLER	TAILPIPE	TOWING	POWER TAILGATE	POWER HOIST	AIR COMPRESSOR	WIPER BLADES	COST
ED.	30,456				Safety																R+R		Front		pads			Rotors																								5-10- 12
	31,070				Safety																																																	5-25- 12
	31,873				Safety																		Rotate		tires																											6-7- 12
	32,414				Replace																																																	6-25- 12
	~~32,414~~																																																				
	32,414				Safety																																																	6-26- 12
	34,103	X	X		Safety																																																8-2- 12
	35,353				Safety																																																	8-16- 12
	36,898				Safety																																																	8-30- 12
	38,037				Safety																																																	9-13- 12
	38,976				Safety																																																	9-27- 12
	40,142				Safety																																																	10-11- 12
	45,197	X	X		Safety																																																11-29- 12
	46,342				Safety																																																	12-13- 12
	47,943				Safety																																																	1-3- 13
	49,071				Safety																																																	1-17- 13
	49,813				Safety																																																	1-31- 13
	50,835				Safety																																																	2-14- 13
	52,390	X	X		Safety																																																2-28- 13
	54,669				Safety																																																	3-21- 13
	55,667				Safety																																																	4-5- 13
	56,832				Safety																R+R		left		front		tire																									4-18- 13
	57,833				Safety																																																	5-2- 13
	58,265				Safety																																																	5-16- 13
	59,194	X	X		Safety																																																5-30- 13
	60,504				Safety																																																	7-18- 13
	60,921				Safety																																																	8-15- 13

CAR 19

1st Axle LF __/32 LRO __/32 LRI __/32

2nd Axle LRO __/32 LRI __/32

RECOMMENDED INFLATION: _____ PSI

Name of Company: VIN# 2FABP7BV0AX124364 Phone No. Truck Number

NEW / USED

Make	Year and Model		Serial Number	Motor Number	Trans. Number	Diff. Number	Body Number	Style Number	Paint Number	Trim Number

Mechanics Initials	Mileage	Lubrication: Chassis; Motor Oil (Oil); Air Cleaner; Air Cleaner; Front Wh. Bearings; Air Compressor (Oil); Automatic Trans.; Trans. & Diff.; Univ. Joints; Rear Wheel Bearings; Switch Grease; Rear Trans.; Light Motor Work: Major Tune Up; Minor Tune Up; Spark Plugs; Distributor; Carburetor; Fuel Pump; Oil Filters; Engine O'haul; Valve Demo; Major Repairs: Trans. Overhaul; Trans. Seal; Differential; Ball Joints; Battery; Electric: Alternator; Starter; Light; Brake Shoes; Drum Turning; Adjust; Reline; Wheel Cylinder; Master Cylinder; Front End; Balance: Wheel Balance; Wash • Polish; Painting; Body • Fender; Radiator - Antifreeze; Water Pump; Hose • Fan Belt; Bumper; Tailpipe; Towing; Power Tailgate; Power Hoist; Air Compressor; Wiper & Arms; Etc. Info; Appearance; Cool. Info; Misc.	- QST	
ED	61,062	RAK Sway Bar Links								
SNB	61,862	INSTALL NEW BATTERY CHECK CHARGING SYSTEM							9-10-	B
	61,846	SAFETY INSP							11-7	13
JNB	61,977	NEW L. FRONT STRUT NEW REAR BRAKES SAFETY INSP							12-5	13
SNB	62,088	INSTALL NEW BATTERY							1-30	14
JNB	63,813	INSTALL NEW BATTERY							3-10	14
SNB	65,341	INSTALL NORTHSTAR BATTERY/NEW SERP. BELT ✓ CHARGING							4-7	16

MACHINE: 10 Foot Grey/Silver

MODEL # : C.V. Interceptor

X = CHANGED
– = SKIPPED
✓ = CHECKED

Date	Hours	Engine oil	Oil Filter	Hyd oil	Hyd filter	Trans oil	Diff oil	Air filter	Fuel filter	Lube	Comments:
3/6/17	67264 mi	X	X			✓	✓	X	X	✓	CHANGED FRONT PADS AND ROTORS, ROTATE
" "	" "	Peeled	Decals, Declue, Buff out, Paint wheels, Clean Glass, fill fuel, Road test								
6-18-18	71,136	✓	set tire pressures, Replace RF corner light, change wiper blades								
10-10-19	74,385	X	X			✓	✓		✓	X	charge battery, ck for
		Draw-	.76 Amps-	Replace batt		clean acid off top & Reinstall - Recd - 1.34A OL					
11-5-19	74,450	Replace battery - dead again - 3 yrs old									
12-3-20	76,149	CK P/S leak - Pressure line rolled - R&R line, Make bracket to secure, fill fluid,									
[redacted]	[redacted]	bleed system & recheck - good.									
7-2-21	76,363	MT and Balance 4 TIRES - GY Assurance Comfortdrive 235/55R17 126[10] ea. Barnwell									
		Replace Wipers blades - 22", Top fluids, ck oil, ck. brakes - fronts good									
		Rears - will be due in approx 10-15K miles, R&R LF bulb, parking light									