S. LONDONDERRY TWP.
INV-6555

# INCOMPLETE VEHICLE DOCUMENT

(1) THIS INCOMPLETE VEHICLE WAS MANUFACTURED BY:

FREIGHTLINER LLC.
4747 N CHANNEL AVENUE
PORTLAND, OREGON 97208-3849
UNITED STATES

FREIGHTLINER OF CANADA, LTD.
30930 NASHUA DRIVE
MISSUSSAGUA, ONTARIO L4V 1M5
CANADA

(2) THE LAST MANUFACTURING OPERATION WAS PERFORMED ON THIS INCOMPLETE VEHICLE ON THE MONTH/YEAR INDICATED BELOW.

(3) THIS DOCUMENT APPLIES TO THE VEHICLE IDENTIFICATION NUMBER IDENTIFIED BELOW. WHEN COMPLETED BY THE FINAL STAGE MANUFACTURER, IT IS INTENDED THAT THE VEHICLE HAVE THE RATINGS LISTED BELOW:

| | |
|---|---|
| MANUFACTURED BY | FREIGHTLINER LLC |
| VIN | 1FVACYDC84HN25253 |
| MO & YR OF MFR | 01/04 |
| GVWR-KG | 18,144 |
| GVWR-LBS | 40,000 |

| | GAWR-KG | GAWR-LBS | TIRES | RIMS |
|---|---|---|---|---|
| FRONT AXLE | 8,164 | 18,000 | 315/80R22.5(L) | 22.5X9.00 |
| 1ST INT AXLE | | | | |
| 2ND INT AXLE | | | | |
| 3RD INT AXLE | | | | |
| 4TH INT AXLE | | | | |
| 5TH INT AXLE | | | | |
| 6TH INT AXLE | | | | |
| REAR AXLE | 10,432 | 23,000 | 11R22.5(H) | 22.5X8.25 |

L PART NO. 24-01177-030 REV A

THE INSTALLATION OF A BODY, FIFTH WHEEL, AND/OR OTHER EQUIPMENT SHALL BE SUCH THAT THE MAXIMUM IMPOSED GROSS WEIGHT ON ANY ONE AXLE DOES NOT EXCEED THE GROSS AXLE WEIGHT RATING SHOWN FOR THAT AXLE, IN ADDITION, THE IMPOSED GROSS VEHICLE WEIGHT (CHASSIS, CAB, EQUIPMENT AND PAYLOAD) SHALL NOT EXCEED THE GROSS VEHICLE WEIGHT RATING SHOWN ABOVE.

(4) THIS INCOMPLETE VEHICLE MAY BE APPROPRIATELY MANUFACTURED INTO A TRUCK OR TRUCK-TRACTOR (SEE SECTION ON MVSS 121).

(5) THE FOLLOWING CANADIAN OR UNITED STATES FEDERAL MOTOR VEHICLE SAFETY STANDARDS (FMVSS) ARE APPLICABLE TO THIS VEHICLE AND WERE IN EFFECT AT THE TIME OF MANUFACTURE:

| STANDARD | COMPLIANCE STATEMENT |
|---|---|
| NO. 101-CONTROLS AND DISPLAYS | THIS VEHICLE WILL COMPLETED WILL CONFORM TO STANDARD NO. 101, CONTROLS AND DISPLAYS, IF NO ALTERATIONS ARE MADE TO THE VEHICLE CONTROL INCLUDING THEIR LOCATION, MEANS OF IDENTIFICATION AND METHOD OF ILLUMINATION. |
| NO. 102-TRANSMISSION SHIFT LEVER SEQUENCE, STARTER INTERLOCK AND TRANSMISSION BRAKING EFFECT. | THIS VEHICLE WHEN COMPLETED WILL CONFORM TO STANDARD NO. 102, TRANSMISSION LEVER SHIFT SEQUENCE, STARTER INTERLOCK AND TRANSMISSION BRAKING EFFECT, IF NO ALTERATIONS ARE MADE TO THE SHIFT PATTERN DISPLAYS (S) AND METHOD OF ILLUMINATION. IF THE VEHICLE IS EQUIPPED WITH AN AUTOMATIC TRANSMISSION, THE VEHICLE WILL CONFORM IF NO ALTERATIONS ARE MADE IN THE TRANSMISSION, TRANSMISSION CONTROLS, CONNECTING LINKAGES AND CABLES, STARTING MOTOR, STARTING MOTOR WIRING OR PLUMBING, NEUTRAL SAFETY SWITCH AND IGNITION OR EQUIVALENT SWITCH AND RELATED WIRING, AND SHIFT LEVER POSITION IDENTIFICATIONS. |
| NO. 103-WINDSHIELD DEFROSTING AND DEFOGGING SYSTEMS | THIS VEHICLE WHEN COMPLETED WILL CONFORM TO STANDARD NO. 103, WINDSHIELD DEFROSTING AND DEFOGGING SYSTEMS, IF NO ALTERATIONS ARE MADE IN THE WINDSHIELD DEFROSTING AND DEFOGGING SYSTEMS, CONTROLS, WIRING, PLUMING AND AIR FLOW TO THE WINDSHIELD. |
| NO. 104-WINDSHIELD WIPING AND WASHING SYSTEMS. | THIS VEHICLE WHEN COMPLETED WILL CONFORM TO STANDARD NO. 104, WINDSHIELD WIPING AND WASHING SYSTEMS, IF NO ALTERATIONS ARE MADE IN THE WIPER ARMS, BLADES, WASHER, CONTROLS, WIRING AND PLUMBING. |

| | |
|---|---|
| NO. 105-HYDRAULIC AND ELECTRIC BRAKE SYSTEMS. | THIS VEHICLE WILL COMPLETED WILL CONFORM TO STANDARD NO. 105, HYDRAULIC AND ELECTRIC BRAKE SYSTEMS IF IT DOES NOT EXCEED ANY OF THE GROSS AXLE WEIGHT RATINGS, IF THE CENTER OF GRAVITY OF THE BODY AND PAYLOAD IS NOT HIGHER THAN 32 INCHES ABOVE THE FRAME RAIL LOCATED LATERALLY ALONG THE CENTER OF THE VEHICLE AND IF NO ALTERATIONS ARE MADE IN ANY BRAKE SYSTEM COMPONENT. |
| NO. 106-BRAKE HOSES | THIS VEHICLE WHEN COMPLETED WILL CONFORM TO STANDARD NO. 106, BRAKE HOSES, IF NO ALTERATIONS ARE MADE TO THE AIR BRAKE HOSE, BRAKE HOSE ASSEMBLIES AND BRAKE HOSE FITTINGS INCLUDING THE LABELING ON THESE COMPONENTS. |
| NO. 108-LAMPS, REFLECTIVE DEVICES AND ASSOCIATED EQUIPMENT. | FOR TRUCK TRACTOR:<br>THIS VEHICLE, WHEN COMPLETED AS A TRUCK TRACTOR BY ADDING A FIFTH WHEEL WILL CONFORM TO STANDARD NO. 108, LAMPS, REFLECTIVE DEVICES AND ASSOCIATED EQUIPMENT, IF NO ALTERATIONS ARE MADE TO ANY ASSOCIATED ITEMS SUPPLIED ON THIS VEHICLE AND NO OBSTRUCTIONS ARE INSTALLED WHICH LIMIT USE.<br>FOR TRUCK:<br>CONFORMITY WITH STANDARD NO. 108, LAMPS REFLECTIVE DEVICES AND ASSOCIATED EQUIPMENT, IS NOT SUBSTANTIALLY DETERMINED BY THE DESIGN OF THIS INCOMPLETE VEHICLE. THE MANUFACTURER MAKES NO REPRESENTATION AS TO CONFORMITY WITH THE STANDARD. |
| NO. 111-REARVIEW MIRRORS. | THIS VEHICLE, WHEN COMPLETED WILL CONFORM TO STANDARD NO. 111, REARVIEW MIRRORS, IF NO ALTERATIONS ARE MADE TO MIRRORS, MOUNTS, LOCATIONS OR CAB STRUCTURE AND NO OBSTRUCTIONS ARE INSTALLED WHICH LIMIT USAGE. |
| NO. 113-HOODED LATCH SYSTEM. | THIS VEHICLE, WHEN COMPLETED WILL CONFORM TO STANDARD NO. 113, IF NO ALTERATIONS ARE MADE IN THE HOOD LATCH SYSTEM INCLUDING THE ATTACHMENTS FOR THE HOOD LATCHES. |
| CMVSS NO. 115-VEHICLE IDENTIFICATION NUMBER (CANADA ONLY) | THIS VEHICLE, WHEN COMPLETED WILL CONFORM TO CMVSS NO. 115, VEHICLE IDENTIFICATION NUMBER, IF NO ALTERATION IS MADE TO THE VIN STAMPED ON THE LEFT HAND FORWARD FRAME RAIL AND IF THE VIN PRINTED ON THIS INCOMPLETE VEHICLE DOCUMENT IS USED ON THE COMPLETE VEHICLE LABEL. |
| NO. 116-MOTOR VEHICLE BRAKE FLUIDS | THIS VEHICLE, WHEN COMPLETED WILL CONFORM TO STANDARD NO. 116, MOTOR VEHICLE BRAKE FLUIDS, IF NO ALTERATIONS ARE MADE WHICH EFFECT THE PHYSICAL OR CHEMICAL PROPERTIES OF THE BRAKE FLUID, ADDITIONS TO BRAKE FLUID MUST MEET THE REQUIREMENTS OF THIS STANDARD. |
| NO. 120-TIRE SELECTION, AND RIMS FOR MOTOR VEHICLES OTHER THAN PASSENGER CARS | THIS VEHICLE, WHEN COMPLETED, WILL CONFORM TO STANDARD NO. 120, TIRE SELECTION AND RIMS FOR MOTOR VEHICLES OTHER THAN PASSENGER CARS, IF THE TIRES AND RIMS LISTED ON PAGE 1, SECTION 3 OF THIS DOCUMENT ARE USED ON THE FINISHED VEHICLE. |

| | |
|---|---|
| NO. 121-AIR BRAKE SYSTEMS. | A. THIS INCOMPLETE VEHICLE WHEN COMPLETED AS A TRUCK WILL CONFORM TO, STANDARD 121, AIR BRAKE SYSTEMS IF IT DOES NOT EXCEED ANY OF THE GROSS AXLE WEIGHT RATINGS, IF THE CENTER OF GRAVITY OF THE BODY AND PAYLOAD IS NOT HIGHER THAN 32 INCHES ABOVE THE FRAME RAIL LOCATED LATERALLY ALONG THE CENTER OF THE VEHICLE AND IF NO ALTERATIONS ARE MADE IN ANY BRAKE SYSTEM COMPONENT.<br>B. IF THIS COMPLETE VEHICLE WAS MANUFACTURED AS A TRUCK-TRACTOR WITHOUT A FIFTHWHEEL, WHEN COMPLETED AS A TRUCK-TRACTOR WILL CONFORM WITH THE STOPPING DISTANCE REQUIREMENTS AND STABILITY AND CONTROL DURING BRAKING REQUIREMENTS OF STANDARD NO. 121-AIR BRAKE SYSTEMS, IF THE FIFTHWHEEL IS INSTALLED AND LOCATED SO THAT ONE OF ITS OPERATING POSITIONS IS AT OR FORWARD OF THE CENTERLINE OF THE REAR SUSPENSION.<br>THIS VEHICLE WILL CONFORM WITH THE TRAILER ABS ELECTRICAL CIRCUIT REQUIREMENT OF STANDARD NO. 121 AND SAE RECOMMENDED PRACTICE J2247 FOR TRUCK-TRACTOR POWER OUTPUT FOR TRAILER ABS IF ORIGINALLY MANUFACTURED WITH THE STANDARD ISO 3731 TYPE SUPPLEMENTAL ABS POWER RECEPTACLE OR CABLES. VEHICLES PRODUCED WITHOUT THIS RECEPTACLE ARE NOT INTENDED FOR OPERATION WITH MULTIPLE TRAILERS AND ARE NOT DESIGNED TO CONFORM SAE J2247. |
| NO. 124-ACCELERATOR CONTROL SYSTEMS. | THIS VEHICLE WHEN COMPLETED, WILL CONFORM TO STANDARD NO. 124, ACCELERATOR CONTROL SYSTEM, IF NO ALTERNATIONS ARE MADE TO ANY COMPONENTS OF THE ACCELERATOR CONTROL SYSTEM. |
| NO. 205-GLAZING MATERIALS | THIS VEHICLE WHEN COMPLETED, WILL CONFORM TO STANDARD NO. 205, GLAZING MATERIAL, IF NO ALTERATIONS ARE MADE IN THE GLAZING MATERIAL INSTALLED IN THE WINDSHIELD AND WINDOWS OF THE CAB. |
| NO. 206-DOOR LOCKS AND DOOR RETENTION COMPONENTS. | THIS VEHICLE, WHEN COMPLETED WILL CONFORM TO STANDARD NO. 206, DOOR LOCKS AND DOOR RETENTION COMPONENTS, IF NO ALTERATIONS ARE MADE IN THE DOOR ASSEMBLY, DOOR LATCHES, DOOR STRIKER ASSEMBLIES, DOOR HINGES, DOOR LOCKS, DOOR LATCH POSTS, DOOR HINGE POSTS AND THE SUPPORTING CAB STRUCTURE. |
| NO. 207-SEATING SYSTEMS | THIS VEHICLE, WHEN COMPLETED WILL CONFORM TO STANDARD NO. 207, SEATING SYSTEMS, IF NO ALTERATIONS ARE MADE TO THE SEATS, SEAT ADJUSTERS, RESTRAINING DEVICES, RELEASE AND ADJUSTMENT CONTROLS, SEAT RISERS AND SUPPORT, CAB FLOOR AND SUPPORTING STRUCTURE. |
| NO. 208-OCCUPANT CRASH PROTECTION) | THIS VEHICLE, WHEN COMPLETED WILL CONFORM TO STANDARD NO. 208, OCCUPANT CRASH PROTECTION, IF NO CHANGE IS MADE TO THE NUMBER OF DESIGNATED OCCUPANTS SEATING POSITIONS PROVIDED, AND IF NO ALTERATIONS ARE MADE IN THE CAB FLOOR AND SUPPORTING STRUCTURE, CAB UNDERBODY, SEAT BELT ASSEMBLIES, SEAT BELT ANCHORAGES, SEATS AND SEATING ANCHORAGES. |
| NO. 209-SEAT BELT ASSEMBLY ANCHORAGES. | THIS VEHICLE, WHEN COMPLETED WILL CONFORM TO STANDARD NO. 209, SEAT BELT ASSEMBLIES, IF NO ALTERATIONS ARE MADE IN THE SEAT BELT ASSEMBLIES, SEAT BELT ANCHORAGES AND ATTACHMENTS AND THE CAB STRUCTURE TO WHICH THE ANCHORAGES ARE ATTACHED. |
| NO. 210 SEAT BELT ASSEMBLY ANCHORAGES | THIS VEHICLE, WHEN COMPLETED, WILL CONFORM TO STANDARD NO. 210, SEAT BELT ASSEMBLY ANCHORAGES FOR A TYPE 1 SEAT BELT ASSEMBLY FOR EACH DESIGNATED OCCUPANT SEAT, IF NO ALTERATIONS ARE MADE TO THE SEAT BELT ASSEMBLY ANCHORAGES, THEIR LOCATION, AND THE CAB STRUCTURE TO WHICH THE ANCHORAGES ARE ATTACHED. |
| NO. 302-FLAMMABILITY OF INTERIOR MATERIALS. | THIS VEHICLE, WHEN COMPLETED, WILL CONFORM TO STANDARD NO. 302, FLAMMABILITY OF INTERIOR MATERIALS, IF NO ALTERATIONS ARE MADE TO THE MATERIALS, INCLUDING THE SURFACE MATERIAL AND PADDING OR CUSHIONING, USED IN THE INTERIOR OF THE VEHICLES OCCUPANT COMPARTMENT INCLUDING THE FOLLOWING COMPONENTS: SEAT CUSHIONS, SEAT BACKS, SEAT BELTS, HEADLINING, ARMRESTS, ALL TRIM PANELS INCLUDING DOOR, FRONT, REAR AND SIDE PANELS, COMPARTMENT SHELVES, FLOOR COVERING, SUN VISORS, CURTAINS, SHADES, ENGINE COMPARTMENT COVER, MATTRESS COVERS AND OTHER INTERIOR MATERIALS INCLUDING PADDING THAT ARE DESIGNED TO ABSORB ENERGY ON CONTACT BY OCCUPANTS IN THE EVENT OF A CRASH. |

# CHASSIS INFORMATION SHEET

## CHASSIS DEALER DATA REQUIRED:

Customer: South Londonderry Twp. Chassis Dealer: Freightliner of Harrisburg
Chassis Order Date: 11/14 Chassis Dealer Contact: Blair Moyer
Delivery Date to Vactor: _____ Chassis Dealer Phone: 866-564-9750 x14
Dealer Order#_____ Chassis VIN: _____

## CHASSIS DATA REQUIRED:

Year: 2004 Make: Freightliner Model: M2 GVW Rating: 41,000
WB: 222 CA/CT: 156 AF: 97 In. (Consult factory for correct Chassis dimensions)
BBC (Bulkhead to Back of Cab): 106 "
Front Axle Set Back: _____ "

| | | | | | |
|---|---|---|---|---|---|
| Front Axle: | 12,000#___ | 16,000#___ | 18,000#✓ | 20,000#___ | Other:_____# |
| Front Suspension: | 12,000#___ | 16,000#___ | 18,000#✓ | 20,000#___ | Other:_____# |
| Front Tire Rated: | 12,000#___ | 16,000#___ | 18,000#___ | 20,000#✓ | Other:_____# |
| Front Tire Size/Ply: | 315/80R22.5 20Ply | | | | |
| Rear Axle: | 23,000#✓ | 34,000#___ | 40,000#___ | 46,000#___ | Other:_____# |
| Rear Suspension: | 23,000#✓ | 34,000#___ | 40,000#___ | 46,000#___ | Other:_____# |
| Rear Tires: | 23,000#___ | 34,000#___ | 40,000#___ | 46,000#___ | Other: 24,000 |
| Rear Tire Size/Ply: | 11x22.5 16 | | | | |

## ENGINE/TRANSMISSION INFORMATION:

Engine Make: CAT Model: C7 HP: 300 RPM: 2200
All electronic engines require cruise control function.

Transmission Make: Allison✓ EatonFuller____ Mack____
Transmission Model: 3206 (Consult factory for PTO and water pump capabilities)

**The following transmissions cannot support Vactor functions: Allison 2000/2400 Series & Eaton Fuller Autoshift (Consult Factory with questions)

E.C.U. Max Features are required with all Allison New World MD transmissions (See attached charts).

High-range lock-up is required on all AT, MT, or HT Series Allison transmissions.

## PAINT DATA:

Chassis Factory Paint #: STD and Color #: BLACK
Cab Paint Required: Yes ____ No ____ Paint#: U2007 and Color#: WHITE
Module Paint #:_____ and Color #:_____ Match Cab: Yes ____ No____

Type of Paint: #P110 _____ Dupont (wet-on-wet)
#P111 _____ Acrylic enamel with primer base
#P112 _____ Imron with primer base

MFD. BY: VACTOR MFG.
S.N.04-04V-8894
DATE OF MFR: MO. 04 YR. 2004
INC. VEH. MFD. BY:
FREIGHTLINER
DATE OF INC. VEH. MFR:
MO. 01 YR. 2004
GVWR:
18,144 KG ( 40,000 LB)
GAWR-FRONT:
8,164 KG ( 18,000 LB)
GAWR INTERMEDIATE (1):
_____ KG ( _____ LB)
GAWR INTERMEDIATE (2):
_____ KG ( _____ LB)
GAWR-REAR:
10,432 KG ( 23,000 LB)
THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.A. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT IN:
MO. 04 YR. 2004
VEHICLE IDENTIFICATION NUMBER:
1FVACYDC84HN25253
VEHICLE TYPE:
TRUCK

SUITABLE TIRE-RIM CHOICE
FRONT: _____ TIRES,
_____ RIMS, @ _____ KPA,
(_____ PSI) COLD _____
INTERMEDIATE (1):
_____ TIRES,
_____ RIMS, @ _____ KPA,
(_____ PSI) COLD _____
INTERMEDIATE (2):
_____ TIRES,
_____ RIMS, @ _____ KPA,
(_____ PSI) COLD _____
REAR: _____ TIRES,
_____ RIMS, @ _____ KPA,
(_____ PSI) COLD _____

S. LONDONDERRY TWP

5557

PA PUBLIC WORKS, LLC
238 LOCUST POINT RD, B1 SEC B
MECHANICSBURG, PA 17050
717-697-8045
717-697-0154-FAX

| Vendor | PURCHASE ORDER | Document | Pg |
|---|---|---|---|
| 1804 | | E00159 | 1 |
| | | 11/21/03 | 13:30 |

**Vendor**
VACTOR MANUFACTURING, INC.
P.O. BOX 71038
CHICAGO IL 60694

**Ship To**
PA PUBLIC WORKS, LLC
238 LOCUST POINT RD, B1 SEC B
MECHANICSBURG, PA 17050
717-697-8045
717-697-0154-FAX

815/672-3171

| Br | Store | Vendor Order | Class | Terms |
|---|---|---|---|---|
| 10 | | | | NET 30 |

| Line | Ordr | Rcvd | Description | Each | Amount |
|---|---|---|---|---|---|
| | Ordered By | | DONNA LEASHER | | |
| 10 | 1 | | VA ALL 8001C<br>SIGNAL-MATER DIRECTIONL ARROW STICK-ONE PIECE 8 L.E.D. LIGHTS-FRONT OR REAR | 1,220.00 | 1,220.00 |
| 20 | 1 | | VA ALL FED.SIG.<br>FED. SIGNAL DOT 3, 6 STROBE LED | 1,699.00 | 1,699.00 |

| | |
|---|---|
| Total | 2,919.00 |

Authorized Signature Date Received By Checked By

PA PUBLIC WORKS, LLC
238 LOCUST POINT RD, B1 SEC B
MECHANICSBURG, PA 17050
717-697-8045
717-697-0154-FAX

| Vendor | PURCHASE ORDER | Document | Pg |
|---|---|---|---|
| 1804 | | E00152 | 3 |

| Line | Ordr | Rcvd | Description | Each | Amount | |
|---|---|---|---|---|---|---|
| | | | CONTINUOUS LENGTH | | | |
| 220 | 1 | | VA ALL 6004A | 2,840.00 | 2,840.00 | |
| | | | AUTOMATIC HOSE LEVEL WIND GUID | | | |
| 230 | 1 | | VA ALL 6005A | 280.00 | 280.00 | |
| | | | ADDITIONAL HOSE FOOTAGE COUNT | | | |
| 240 | 1 | | VA ALL 6011 | 748.00 | 748.00 | |
| | | | RETRACTABLE H/G HOSE REEL | | | |
| | | | SPRING RETRACTABLE REEL WITH 50' HOSE ASSEMBL | | | |
| 250 | 1 | | VA ALL 6014 | 7,028.00 | 7,028.00 | |
| | | | TELESCOPING/ROTATING HOSE REEL | | | |
| | | | REEL (600' CAPACITY) | | | |
| 260 | 1 | | VA ALL 6017 | 464.00 | 464.00 | |
| | | | HYD TANK SHUT-OFF VALVES | | | |
| | | | SUCTION, RETURN, FILTER | | | |
| 270 | 1 | | VA ALL 6019 | 280.00 | 280.00 | |
| | | | RODDER PUMP DRAIN VALVE (2) | | | |
| 280 | 1 | | VA ALL 7003 | 188.00 | 188.00 | |
| | | | ENGINE SAFETY SHUTDOWN SWITCH | | | |
| 290 | 1 | | VA ALL 8001D | 2,848.00 | 2,848.00 | -DELETE |
| | | | WHELEN DIRECTIONAL LARGE ARROW | | | |
| | | | ONE PIECE 16 STROBE LIGHTS - REAR ONLY | | | |
| 300 | 1 | | VA ALL 8007 | 572.00 | 572.00 | -DELETE |
| | | | STROBE LIGHT MTD FRONT ONLY | | | |
| | | | CAB GUARD | | | |
| 310 | 1 | | VA ALL 8013 | 112.00 | 112.00 | -DELETE |
| | | | LIMB GUARD FOR LIGHT | | | |
| 320 | 1 | | VA ALL 8020A | 3,252.00 | 3,252.00 | -DELETE |
| | | | WHELEN DOT 3 LIGHTING SYSTEM | | | |
| | | | SIX STROBE LIGHT HEAD ASSEMBLY | | | |
| 330 | 1 | | VA ALL 8020B | 632.00 | 632.00 | |
| | | | REAR BUMPER MTD AMBER STROBES | | | |
| | | | TWO RECESSED IN BUMPER | | | |
| 340 | 1 | | VA ALL 9000 | 92.00 | 92.00 | |
| | | | ADDITIONAL VACTOR MANUAL | | | |
| 350 | 1 | | VA ALL 9013A | 524.00 | 524.00 | |
| | | | 36X12X12 ALUMINUM TOOLBOX | | | |
| | | | AVAILABLE FOR FAN MACHINE | | | |
| 360 | 1 | | VA ALL 9016A | 1,472.00 | 1,472.00 | |

CONTINUED

PA PUBLIC WORKS, LLC
238 LOCUST POINT RD, B1 SEC B
MECHANICSBURG, PA 17050
717-697-8045
717-697-0154-FAX

| Vendor | PURCHASE ORDER | Document | Pg |
|---|---|---|---|
| 1804 | | E00152 | 2 |

| Line | Ordr | Rcvd | Description | Each | Amount |
|---|---|---|---|---|---|
| | | | CYCLONE | | |
| 80 | 1 | | VA ALL 1015<br>FOLD DOWN PIPE RACK/CURBSIDE | 612.00 | 612.00 |
| 90 | 1 | | VA ALL 1015A<br>FOLD DOWN PIPE RACK/STREETSIDE | 612.00 | 612.00 |
| 100 | 1 | | VA ALL 1016<br>STAINLESS STEEL MICRO-STRAINE | | .00 |
| 110 | 1 | | VA ALL 1022<br>SPLASH SHIELD - REAR DOOR | 464.00 | 464.00 |
| 120 | 1 | | VA ALL 1023<br>LUBE MANIFOLD | 1,344.00 | 1,344.00 |
| 130 | 1 | | VA ALL 2014<br>1000 GALLON WATER CAPACITY<br>5,10,12 YD | | .00 |
| 140 | 1 | | VA ALL 3007<br>ROOTS 824RCS/18" BLOWER<br>P.D. UNITS ONLY<br>(SEE UNIT PRICING) | | .00 |
| 150 | 1 | | VA ALL 4004<br>8' HYD. TELESCOPIC BOOM<br>WITH 180 DEGREE ROTATION | 8,352.00 | 8,352.00 |
| 160 | 1 | | VA ALL 4006<br>JOYSTICK BOOM CONTROL<br>FOR STD. OR TELE/EXT BOOM | 464.00 | 464.00 |
| 170 | 1 | | VA ALL 5006C<br>12 GPM COLD RECIR. SYSTEM<br>COLD WEATHER RECIRCULATION SYSTEM (ALL PD MACHINES) UTILIZING ALLISON MD OR HD AUTOMATIC TRANSMISSION. | 2,236.00 | 2,236.00 |
| 180 | 1 | | VA ALL 5011<br>3" Y-STRAINER AT WATER PUMP<br>INCLUDES SHUT OFF VALVE | 464.00 | 464.00 |
| 190 | 1 | | VA ALL 5014<br>WATER RELIEF VALVE/HP WTR PMP | 760.00 | 760.00 |
| 200 | 1 | | VA ALL 5023<br>FAN FLUSH OUT SYSTEM | 288.00 | 288.00 – DELETE |
| 210 | 1 | | VA ALL 6001<br>500' X 1" SEWER HOSE | 304.00 | 304.00 |

CONTINUED

PA PUBLIC WORKS, LLC
238 LOCUST POINT RD, B1 SEC B
MECHANICSBURG, PA 17050
717-697-8045
717-697-0154-FAX

| Vendor | PURCHASE ORDER | Document | Pg |
|---|---|---|---|
| 1804 | | E00152 | 1 |
| | | 11/10/03 | 16:34 |

**Vendor**
VACTOR MANUFACTURING, INC.
P.O. BOX 71038
CHICAGO IL 60694

**Ship To**
PA PUBLIC WORKS, LLC
238 LOCUST POINT RD, B1 SEC B
MECHANICSBURG, PA 17050
717-697-8045
717-697-0154-FAX

815/672-3171

| Br | Store | Vendor Order | Class | Terms |
|---|---|---|---|---|
| 10 | | | | NET 30 |

Ordered By DONNA LEASHER

| Line | Ordr | Rcvd | Description | Each | Amount |
|---|---|---|---|---|---|
| 10 | 1 | | VA 2110RCS18 00100<br>2110-824-RCS-18" COMBO UNIT<br>WITH ALL STANDARD EQUIPMENT | 96,852.00 | 96,852.00 |
| 20 | 1 | | VA ALL 1001A<br>FLAT REAR DOOR<br>WITH HYDRAULIC LOCKS & OPEN/CLOSE | 4,052.00 | 4,052.00 |
| 30 | 1 | | VA ALL 1003<br>DEBRIS BODY FLUSHOUT SYSTEM | 884.00 | 884.00 |
| 40 | 1 | | VA ALL 1004<br>DEBRIS BODY FULL ALARM | 1,224.00 | 1,224.00 |
| 50 | 1 | | VA ALL 1005<br>10" S.S. BALLFLOAT SHUTOFF SYS<br>(STD. ON PD AND 2-STAGE UNITS) | | .00 |
| 60 | 1 | | VA ALL 1008<br>6" KNIFE VALVE REAR DOOR<br>WITH CAMLOC CAP | 800.00 | 800.00 |
| 70 | 1 | | VA ALL 1014<br>CENTRIFUGAL SEPARATOR | 2,520.00 | 2,520.00 |

CONTINUED

PA PUBLIC WORKS, LLC
238 LOCUST POINT RD, B1 SEC B
MECHANICSBURG, PA 17050
717-697-8045
717-697-0154-FAX

| Vendor | PURCHASE ORDER | Document | Pg |
|---|---|---|---|
| 1804 | | E00152 | 4 |

| Line | Ordr | Rcvd | Description | Each | Amount |
|---|---|---|---|---|---|
| | | | 96X30X16 ALUM FULL WIDTH | | |
| | | | REQUIRES 18" ADD'L CA | | |
| | | | AVAILABLE FOR FAN MACHINE & PD MACHINE | | |
| 370 | 1 | | VA ALL 9019 | 1,400.00 | 1,400.00 |
| | | | DELIVERY TO DEALER | | |
| 380 | 1 | | VA ALL P111 | 908.00 | 908.00 |
| | | | MODULE PAINTED | | |
| | | | WITH CENTARI (PRIMER BASE) WHITE | | |
| 390 | 1 | | VA ALL S350 | 212.00 | 212.00 |
| | | | 8" ADJUSTABLE AIR ADAPTOR | | |
| 400 | 1 | | VA ALL S360 | 364.00 | 364.00 |
| | | | UNDERWATER DEBRIS NOZZLE | | |
| | | | (SNORKEL KIT) | | |
| 410 | 1 | | VA ALL 8002 | 212.00 | 212.00 |
| | | | HANDLIGHT W/BUMPER PLUG | | |

Total ~~140,700.00~~

139628.

Authorized Signature Date Received By Checked By

# VACTOR® MANUFACTURING, INC.
# PURCHASE ORDER DATA SHEET

| | |
|---|---|
| **Distributor Information:**<br>**Distributor** A & H Equipment Co.<br>**Address** 1124 McLaughlin Run Rd<br>Bridgeville, PA 15017<br>**PO#** _____<br>**Regional Manager** Bill Kirkpatrick | **Customer Name** South Londonderry Twp<br>**Address** P.O. Box 3<br>Campbelltown, PA 17010<br>_____<br>**Contact Person** Scott Galbraith<br>**Phone#** 717-838-5556<br>X **Municipality** _____ **Contractor** |

1. **Vactor Model** 2110 ..... **NET $** 96852.
2. **Vactor Accessories Total** ..... **NET $** 48448.
3. **Customer Supplied Chassis** X **YES** ___ **NO** ..... **NET $** _____
4. **Vactor: A. Stock Chassis VIN:** _____ ..... **NET $** _____
   **B. Quoted Chassis ID#** _____ ..... **NET $** _____
5. **SPA (City PO Required In Vactor Sales Office To Receive)** ..... **($** _____ **)**
6. **Vactor Delivery** X **YES** ___ **NO** ..... **NET $** 1400.
7. **Total NET of Purchase Order** ..... **NET $** 146,700.

**ALL NON-EXEMPT CUSTOMERS MUST PAY F.E.T.**
**ANY VEHICLE UNDER 33,000 LB GVW IS NOT SUBJECT TO F.E.T.**

- **Please use Vactor Optional Equipment NET Pricing Sheet for order/or facsimile of.**
- **Please fill out all information requested on order form**
- **Do not use any Optional Part Numbers for non-standard items (ie - revolving light with SS360 would not have a part number)**
- **All special option pricing is to be listed on last page of NET Pricing Sheet with description, dollar amount and initials of Sales Representative who quoted net price**

**NOTE: The following items must be sent in with this form when order is placed:**

- X **Distributor bid form (quote to customer)**
- _____ **Bid tabulation (if applicable, if not - please indicate why not)** PACC CONTRACT, NO BID
- X **Customer purchase order to distributor**

**PLEASE COMPLETE AND RETURN THIS SHEET WITH THE ABOVE THREE REQUIRED ITEMS ATTACHED AT THE TIME OF THE ORDER.**

# PA Public Works Equipment Co.

238 LOCUST POINT ROAD • BUILDING 1 • SECTION B
MECHANICSBURG, PA 17050
PHONE 717-697-8045
FAX 717-697-0154

October 31, 2003

Scott Galbraith
South Londonderry Township
P. O. Box 3
Campbelltown, PA 17010

Dear Mr. Galbraith,

As agreed through PACC contract for the Vactor 2110 Sewer Machine, please see the following price breakdown. Mark-up is in accordance with the published PACC State Guidelines.

| DEALER'S COST | MARK-UP | SELLING PRICE |
|---|---|---|
| $147,412.01 | $19,046.56 | $166,458.57 |

Please call if you have any questions. My number is 717-697-8045.

If you are in acceptance with the PACC figures, please sign below where indicated and fax to 717-697-0154, so that we may proceed with your order.

Sincerely,

Gerald N. DeShong

Gerald N. DeShong
Sales Representative

Signature

11-6-03
Date

INVOICE NO..:
INVOICE DATE:

REVISION....: XE 11/24/03

# O R D E R

CUSTOMER NO: 6405

| BILL TO: | SHIP TO: |
|---|---|
| PA PUBLIC WORKS EQUIP. CO. LLC | SOUTH LONDONDERRY TWP |
| 238 LOCUST POINT ROAD | PO BOX 3 |
| MECHANICSBURG PA | CAMPBELLTOWN PA |
| U.S.A. 17050 | 17010 |

TERMS.....: 1% 15 DAYS, NET 30 DAYS
REG SLSMN: 375
SHIP VIA...: VACTOR DELIVERY
CUST ORD NO: E00152
SALES NO...: 6556 SHIP DTE:
ROUTING REQ: M ORD DTE: 11/24/03

UNIT S/N....:
CHASSIS S/N:
BLOWER S/N..:
AUX ENG S/N.:
TRANS/TC S/N:

| QTY | PART | DESCRIPTION | RV |
|---|---|---|---|
| 1 | 2110*18 | 2110-824-18" VACTOR | |
| 1 | CUSTOMER | CUSTOMER SUPPLIED CHASSIS | |
| 1 | S390A | VACUUM PIPE PACKAGE 8" (STD) | |
| 1 | 010STD | ONE TOOL BOX ALUMINUM | |
| 1 | 012STD | MUD FLAPS | |
| 1 | 014STD | ELECTRIC/HYD FOUR WAY BOOM | |
| 1 | 016STD | SEALED ELECTRICAL SYSTEM | |
| 1 | 018STD | REMOTE PENDANT CONTROL | |
| 1 | 020STD | DOUBLE ACTING DUMP HOIST | |
| 1 | 022STD | 2" Y-STRAINER W/25' FILL HOSE | |
| 1 | 026STD | EXTEN STEEL DEBRIS BODY | |
| 1 | 030STD | FLEXIBLE HOSE GUIDE | |
| 1 | 032STD | TWO NOZZLES W/CARBIDE INSERTS | |
| 1 | 1005STD | FLOAT BALL SHUT OFF | |
| 1 | 1016STD | STAINLESS MICRO STRAINER PD ONLY | |
| 1 | 160STD | MOUNTING CHARGE | |
| 1 | 2014STD | 1000 GALLONS | |
| 1 | 3007 | BLOWER-ROOTS 824RCS/18" 3500CFM | |
| 1 | 5015B | MIDSHIP HANDGUN COUPLING | |
| 1 | 6004STD | WIND GUIDE (DUAL ROLLER) | |
| 1 | 6005STD | HOSE FOOTAGE COUNTER | |
| 1 | 6009STD | CHAIN DRIVE FULL COVER | |

Mike ✓
Joe ✓ 11-24-03 — NEED CHASSIS DATA — CHASSIS NEEDS FRONT FRAME EXT.
Dan OK 11/24
Jonas OK 11/24/03
Jamie OK 11-24-03
Date: 11-24 Rating: (A) B C

VERIFY: NO MULTI-FLOW

INVOICE NO..:
INVOICE DATE:

REVISION....: XE 11/24/03

# O R D E R

CUSTOMER NO: 6405

| BILL TO: | | SHIP TO: | |
|---|---|---|---|
| PA PUBLIC WORKS EQUIP. CO. LLC | | SOUTH LONDONDERRY TWP | |
| 238 LOCUST POINT ROAD | | PO BOX 3 | |
| MECHANICSBURG | PA | CAMPBELLTOWN | PA |
| U.S.A. | 17050 | | 17010 |

TERMS.....: 1% 15 DAYS, NET 30 DAYS
REG SLSMN: 375
SHIP VIA...: VACTOR DELIVERY
CUST ORD NO: E00152
SALES NO...: 6556 SHIP DTE:
ROUTING REQ: M ORD DTE: 11/24/03

UNIT S/N....:
CHASSIS S/N:
BLOWER S/N..:
AUX ENG S/N.:
TRANS/TC S/N:

| QTY | PART | DESCRIPTION | RV |
|---|---|---|---|
| 1 | 8000STD | CIRCUIT BREAKERS | |
| 1 | 9000 | 1+DEALER VACTOR MANUAL | |
| 1 | 1001A | FLAT REAR DOOR W/HYD LOCKS | |
| 1 | 1003A | DEBRIS BODY FLUSHOUT - 80/100 GPM | |
| 1 | 1004 | BODY LOAD LIMIT ALARM | |
| 1 | 1008 | 6" KNIFE VALVE/REAR DOOR W/CAM-LOK | |
| 1 | 1014 | CENTRIFUGAL SEPARATOR | |
| 1 | 1015 | FOLD DOWN PIPE RACK CURB SIDE | |
| 1 | 1015A | FOLD DOWN PIPE RACK STREET SIDE | |
| 1 | 1022 | SPLASH SHIELD/REAR DOOR | |
| 1 | 1023 | LUBE MANIFOLD | |
| 1 | 4004 | 8' HYD TELESCOPING BOOM | |
| 1 | 4005STD | BOOM TRANSPORT CRADLE | |
| 1 | 4006 | JOYSTICK BOOM CONTROL | |
| 1 | 5002 | 80 @ 2000 PSI SYSTEM PD MD TRANS | |
| 1 | 5008C | RECIRC COLD WEATHER (PTO) | |
| 1 | 5011 | 3" Y-STRAINER AT PUMP | |
| 1 | 5014 | WATER RELIEF VALVE | |
| 1 | 6001 | 500' X 1" RODDER HOSE | |
| 1 | 6004A | AUTO WIND GUIDE | |
| 1 | 6005A | HOSE FOOTAGE COUNTER-REAR | |
| 1 | 6011 | HANDGUN HOSE REEL RETRCTBL 50' HOS | |

INVOICE NO..:
INVOICE DATE:

REVISION....: XE 11/24/03

# O R D E R

CUSTOMER NO: 6405

BILL TO:

PA PUBLIC WORKS EQUIP. CO. LLC
238 LOCUST POINT ROAD

MECHANICSBURG PA
U.S.A. 17050

SHIP TO:

SOUTH LONDONDERRY TWP
PO BOX 3

CAMPBELLTOWN PA
17010

TERMS.....: 1% 15 DAYS, NET 30 DAYS
REG SLSMN: 375
SHIP VIA...: VACTOR DELIVERY
CUST ORD NO: E00152
SALES NO...: 6556 SHIP DTE:
ROUTING REQ: M ORD DTE: 11/24/03

UNIT S/N....:
CHASSIS S/N:
BLOWER S/N..:
AUX ENG S/N.:
TRANS/TC S/N:

| QTY | PART | DESCRIPTION | RV |
|---|---|---|---|
| 1 | 6014 | TELE/ROT HOSE REEL 600' | |
| 1 | 6017 | HYDRAULIC TANK SHUT-OFF VALVES | |
| 1 | 6019 | RODDER PUMP BALL VALVE DRAINS | |
| 1 | 7003A | SAFETY SHUTDOWN-CHASSIS ENGINE | |
| 1 | 8001B | REAR ARROW STICK | |
| 1 | 8022 | REAR BUMPER STROBES | |
| 1 | LIGHTPKG | FEDERAL SIGNAL 6 LIGHT DOT PACKAGE | |
| | | PACKAGE INCLUDES | |
| | | 4 - OVAL QUADFLASHES (FEDERAL SIGNAL) | |
| | | 2 - MIRROR MOUNTED STROBES (FEDERAL SIGNAL) | |
| | | MOUNTED IN THE FOLLOWING LOCATION | |
| | | 2 - MIRROR MOUNTED | |
| | | 2 - MID-BODY | |
| | | 2 - REAR | |
| | | MOUNTING TO BE EXACTLY LIKE THE DOT-3 SYSTEM | |
| | | FOR MOUNTING LOCATIONS REFERENCE S/O #6193 (PICTURES IN SALES FILE AND GIVN TO JONAS, FOR DESIRED LOCATIONS) | |
| 1 | 9013A | TOOL BOX 36 X 12 X 12 ALUMINUM | |
| 1 | 9016A | TOOL BOX 96X30X16 BEHIND CAB ALUM | |
| 1 | 8002 | HANDLIGHT W/BUMPER PLUG | |
| 1 | P111 | MODULE PAINT CENTARI | |
| | | MATCH CAB WHITE | |

INVOICE NO..:
INVOICE DATE:

REVISION....: XE 11/24/03

# O R D E R

CUSTOMER NO: 6405

BILL TO:

PA PUBLIC WORKS EQUIP. CO. LLC
238 LOCUST POINT ROAD

MECHANICSBURG PA
U.S.A. 17050

SHIP TO:

SOUTH LONDONDERRY TWP
PO BOX 3

CAMPBELLTOWN PA
17010

TERMS.....: 1% 15 DAYS, NET 30 DAYS
REG SLSMN: 375
SHIP VIA...: VACTOR DELIVERY
CUST ORD NO: E00152
SALES NO...: 6556 SHIP DTE:
ROUTING REQ: M ORD DTE: 11/24/03

UNIT S/N....:
CHASSIS S/N:
BLOWER S/N..:
AUX ENG S/N.:
TRANS/TC S/N:

| QTY | PART | DESCRIPTION | RV |
|---|---|---|---|
| 1 | S350 | ADJUSTABLE AIR ADAPTER 8" | |
| 1 | S360 | UNDERWATER DEBRIS NOZZLE | |
| 1 | 9019 | DELIVERY TO DEALER | |

*** C H A S S I S ***
YEAR: 2004 MAKE: FREIGHTLINER
MODEL: M2 106MD 4X2 ENG: C-7
W.B. 222 C.A. 156 A.F. 97 H.P. 300 RPM: 2200
TRANS MAKE: ALLISON MODEL: MD-3066P

TRANS/TC MK:

*** PAINT ***
MATCH CAB WHITE

spool

| | | | | |
|---|---|---|---|---|
| 1 | 6009STD | CHAIN DRIVE FULL COVER | | .00 |
| 1 | 8000STD | CIRCUIT BREAKERS | | .00 |
| 1 | 9000A | 2+DEALER VACTOR MANUAL | 92.00 | 92.00 |
| 1 | 1001A | FLAT REAR DOOR W/HYD LOCKS | 4052.00 | 4052.00 |
| 1 | 1003A | DEBRIS BODY FLUSHOUT - 80/100 GPM | 884.00 | 884.00 |
| 1 | 1004 | BODY LOAD LIMIT ALARM | 1224.00 | 1224.00 |
| 1 | 1008 | 6" KNIFE VALVE/REAR DOOR W/CAM-LOK | 800.00 | 800.00 |
| 1 | 1014 | CENTRIFUGAL SEPARATOR | 2520.00 | 2520.00 |
| 1 | 1015 | FOLD DOWN PIPE RACK CURB SIDE | 612.00 | 612.00 |
| 1 | 1015A | FOLD DOWN PIPE RACK STREET SIDE | 612.00 | 612.00 |
| 1 | 1022 | SPLASH SHIELD/REAR DOOR | 464.00 | 464.00 |
| 1 | 1023 | LUBE MANIFOLD | 1344.00 | 1344.00 |
| 1 | 4004 | 8' HYD TELESCOPING BOOM | 8352.00 | 8352.00 |
| 1 | 4005STD | BOOM TRANSPORT CRADLE | | .00 |
| 1 | 4006 | JOYSTICK BOOM CONTROL | 484.00 | 484.00 |
| 1 | 5002 | 80 @ 2000 PSI SYSTEM PD MD TRANS | | .00 |
| 1 | 5008C | RECIRC COLD WEATHER (PTO) | 2236.00 | 2236.00 |



INVOICE NO..:
INVOICE DATE:
REVISION....: A 3/05/04

O R D E R

CUSTOMER NO: 6405

BILL TO:
PA PUBLIC WORKS EQUIP. CO. LLC
P.O. BOX 337
BRIDGEVILLE PA
U.S.A. 15017

SHIP TO:
SOUTH LONDONDERRY TWP
PO BOX 3
CAMPBELLTOWN PA
17010

TERMS.....: 1% 15 DAYS, NET 30 DAYS
REG SLSMN: 375
SHIP VIA...: VACTOR DELIVERY
CUST ORD NO: E00152
SALES NO...: 6556 SHIP DTE:
ROUTING REQ: M ORD DTE: 11/24/03

UNIT S/N....:
CHASSIS S/N: 1FVACYDC84HN25253
BLOWER S/N..:
AUX ENG S/N.:
TRANS/TC S/N:

| QTY | PART | DESCRIPTION | PRICE | EXTENDED RV |
|---|---|---|---|---|
| 1 | 5011 | 3" Y-STRAINER AT PUMP | 484.00 | 484.00 |
| 1 | 5014 | WATER RELIEF VALVE | 760.00 | 760.00 |
| 1 | 6001 | 500' X 1" RODDER HOSE | 304.00 | 304.00 |
| 1 | 6004A | AUTO WIND GUIDE | 2840.00 | 2840.00 |
| 1 | 6005A | HOSE FOOTAGE COUNTER-REAR | 280.00 | 280.00 |
| 1 | 6011 | HANDGUN HOSE REEL RETRCTBL 50' HOS | 760.00 | 760.00 |
| 1 | 6014 | TELE/ROT HOSE REEL 600' | 7028.00 | 7028.00 |
| 1 | 6017 | HYDRAULIC TANK SHUT-OFF VALVES | 464.00 | 464.00 |
| 1 | 6019 | RODDER PUMP BALL VALVE DRAINS | 280.00 | 280.00 |
| 1 | 7003A | SAFETY SHUTDOWN-CHASSIS ENGINE | 200.00 | 200.00 |
| 1 | 8001B | REAR ARROW STICK | 1220.00 | 1220.00 |
| 1 | 8022 | REAR BUMPER STROBES | 632.00 | 632.00 |
| 1 | LIGHTPKG | FEDERAL SIGNAL 6 LIGHT DOT PACKAGE | 1699.00 | 1699.00 |

PACKAGE INCLUDES
4 - OVAL QUADFLASHES (FEDERAL SIGNAL)
2 - MIRROR MOUNTED STROBES (FEDERAL SIGNAL)
MOUNTED IN THE FOLLOWING LOCATION
2 - MIRROR MOUNTED
2 - MID-BODY
2 - REAR
MOUNTING TO BE EXACTLY LIKE THE DOT-3 SYSTEM
FOR MOUNTING LOCATIONS REFERENCE S/O #6193 (PICTURES IN SALES FILE AND GIVN



INVOICE NO..:
INVOICE DATE:
REVISION....: A 3/05/04

O R D E R

CUSTOMER NO: 6405

spool

BILL TO:
PA PUBLIC WORKS EQUIP. CO. LLC
P.O. BOX 337
BRIDGEVILLE PA
U.S.A. 15017

SHIP TO:
SOUTH LONDONDERRY TWP
PO BOX 3
CAMPBELLTOWN PA
17010

TERMS.....: 1% 15 DAYS, NET 30 DAYS
REG SLSMN: 375
SHIP VIA...: VACTOR DELIVERY
CUST ORD NO: E00152
SALES NO...: 6556 SHIP DTE:
ROUTING REQ: M ORD DTE: 11/24/03

UNIT S/N....:
CHASSIS S/N: 1FVACYDC84HN25253
BLOWER S/N..:
AUX ENG S/N.:
TRANS/TC S/N:

| QTY | PART | DESCRIPTION | PRICE | EXTENDED RV |
|---|---|---|---|---|
| | | TO JONAS, FOR DESIRED LOCATIONS) | | |
| 1 | 8002 | HANDLIGHT W/BUMPER PLUG | 212.00 | 212.00 |
| 1 | P111 | MODULE PAINT CENTARI | 908.00 | 908.00 |
| | | MATCH CAB WHITE | | |
| 1 | S350 | ADJUSTABLE AIR ADAPTER 8" | 212.00 | 212.00 |
| 1 | S360 | UNDERWATER DEBRIS NOZZLE | 364.00 | 364.00 |
| 1 | 9019 | DELIVERY TO DEALER | 1400.00 | 1400.00 |



INVOICE NO..:
INVOICE DATE:
REVISION....: A 3/05/04

O R D E R

CUSTOMER NO: 6405

BILL TO:
PA PUBLIC WORKS EQUIP. CO. LLC
P.O. BOX 337
BRIDGEVILLE PA
U.S.A. 15017

SHIP TO:
SOUTH LONDONDERRY TWP
PO BOX 3
CAMPBELLTOWN PA
17010

TERMS.....: 1% 15 DAYS, NET 30 DAYS
REG SLSMN: 375
SHIP VIA...: VACTOR DELIVERY
CUST ORD NO: E00152
SALES NO...: 6556 SHIP DTE:
ROUTING REQ: M ORD DTE: 11/24/03

UNIT S/N....:
CHASSIS S/N: 1FVACYDC84HN25253
BLOWER S/N..:
AUX ENG S/N.:
TRANS/TC S/N:

| QTY | PART | DESCRIPTION | PRICE | EXTENDED RV |
|---|---|---|---|---|
| | | *** C H A S S I S *** | | |
| | | YEAR: 2004 MAKE: FREIGHTLINER | TRANS/TC MK: | |
| | | MODEL: M2 106MD 4X2 ENG: C-7 | *** PAINT *** | |
| | | W.B. 222 C.A. 156 A.F. 97 H.P. 300 RPM: 2200 | MATCH CAB WHITE | |
| | | TRANS MAKE: ALLISON MODEL: MD-3066P | | |

A CASH DISCOUNT OF $ 1436.71 WILL BE ALLOWED IF PAYMENT OF $142234.29 IS RECEIVED BY 1/16/72.
INTEREST CHARGE OF 1 1/2% WILL BE ASSESSED IF NET PAYMENT OF $ 143671.00 IS NOT RECEIVED BY 1/31/72. THANK YOU, WE APPRECIATE YOUR BUSINESS.

| | |
|---|---|
| SALES TOTAL: | 143671.00 |
| DISCOUNT: | .00 |
| DOWN PAYMNT: | .00 |
| INVOICE TOT: | 143671.00 |

INVOICE NO..:
INVOICE DATE:
REVISION....: A 3/05/04

O R D E R

CUSTOMER NO: 6405

BILL TO:
PA PUBLIC WORKS EQUIP. CO. LLC
P.O. BOX 337
BRIDGEVILLE PA
U.S.A. 15017

SHIP TO:
SOUTH LONDONDERRY TWP
PO BOX 3
CAMPBELLTOWN PA
17010

TERMS.....: 1% 15 DAYS, NET 30 DAYS
REG SLSMN: 375
SHIP VIA...: VACTOR DELIVERY
CUST ORD NO: E00152
SALES NO...: 6556 SHIP DTE:
ROUTING REQ: M ORD DTE: 11/24/03

UNIT S/N....:
CHASSIS S/N: 1FVACYDC84HN25253
BLOWER S/N..:
AUX ENG S/N.:
TRANS/TC S/N:

| QTY | PART | DESCRIPTION | PRICE | EXTENDED | RV |
|---|---|---|---|---|---|
| 1 | 2110*18 | 2110-824-18" VACTOR | 96852.00 | 96852.00 | |
| 1 | REVISION | REVISION DATES | | .00 | A |
| | **REVISION A -- 03/05/04** | | | | |
| 1- | 9013A | TOOL BOX 36 X 12 X 12 ALUMINUM | 532.00 | 532.00- | A |
| 1- | 9016A | TOOL BOX 96 X 16 X 30 ALUMINUM | 1472.00 | 1472.00- | A |
| 1 | 9014A | TOOL BOX 36 X 18 X 18 ALUMINUM | 572.00 | 572.00 | A |
| 1 | RFQ19-1 | TOOL BOX 24 X 24 X 24 ALUMINUM | 572.00 | 572.00 | A |
| 1 | CUSTOMER | CUSTOMER SUPPLIED CHASSIS | | .00 | |
| 1 | S390A | VACUUM PIPE PACKAGE 8" (STD) | | .00 | |
| 1 | 010STD | ONE TOOL BOX ALUMINUM | | .00 | |
| 1 | 012STD | MUD FLAPS | | .00 | |
| 1 | 014STD | ELECTRIC/HYD FOUR WAY BOOM | | .00 | |
| 1 | 016STD | SEALED ELECTRICAL SYSTEM | | .00 | |
| 1 | 018STD | REMOTE PENDANT CONTROL | | .00 | |
| 1 | 020STD | DOUBLE ACTING DUMP HOIST | | .00 | |
| 1 | 022STD | 2" Y-STRAINER W/25' FILL HOSE | | .00 | |
| 1 | 026STD | EXTEN STEEL DEBRIS BODY | | .00 | |
| 1 | 030STD | FLEXIBLE HOSE GUIDE | | .00 | |
| 1 | 032STD | TWO NOZZLES W/CARBIDE INSERTS | | .00 | |
| 1 | 1005STD | FLOAT BALL SHUT OFF | | .00 | |
| 1 | 1016STD | STAINLESS MICRO STRAINER PD ONLY | | .00 | |
| 1 | 160STD | MOUNTING CHARGE | 1952.00 | 1952.00 | |



INVOICE NO..:
INVOICE DATE:
REVISION....: A 3/05/04

O R D E R

CUSTOMER NO: 6405

BILL TO:
PA PUBLIC WORKS EQUIP. CO. LLC
P.O. BOX 337
BRIDGEVILLE PA
U.S.A. 15017

SHIP TO:
SOUTH LONDONDERRY TWP
PO BOX 3
CAMPBELLTOWN PA
17010

TERMS.....: 1% 15 DAYS, NET 30 DAYS
REG SLSMN: 375
SHIP VIA...: VACTOR DELIVERY
CUST ORD NO: E00152
SALES NO...: 6556 SHIP DTE:
ROUTING REQ: M ORD DTE: 11/24/03

UNIT S/N....:
CHASSIS S/N: 1FVACYDC84HN25253
BLOWER S/N..:
AUX ENG S/N.:
TRANS/TC S/N:

| QTY | PART | DESCRIPTION | PRICE | EXTENDED | RV |
|---|---|---|---|---|---|
| 1 | 2014STD | 1000 GALLONS | | .00 | |
| 1 | 3007 | BLOWER-ROOTS 824RCS/18" 3500CFM | | .00 | |
| 1 | 5015B | MIDSHIP HANDGUN COUPLING | | .00 | |
| 1 | 6004STD | WIND GUIDE (DUAL ROLLER) | | .00 | |
| 1 | 6005STD | HOSE FOOTAGE COUNTER | | .00 | |

VTSLOE Sales Order Master Maintenance NEXT PGM

Ord# 006556 Dist: 6405 11/24/03 End/Cust: SOUTH LONDONDERRY TWP
Dst PO: E00152 Req/Shp Model: 2110-824-18" VA
PA PUBLIC WORKS EQUIP. CO. LLC Model S/N: 04-04V-8894
P.O. BOX 337 INDEX Invoice: 239149 Date: 4/02/04
PRINT Terms Code: 01 Div/Rte: M Rev: B
BRIDGEVILLE PA INV Rsm: 375 S/J Num: 6310
15017 PRINT State/Cde: PA Country: 000
End Customer Address ** Shipping Instructions **
PO BOX 3 VACTOR DELIVERY
Aux Eng/Make Aux Eng/Model
CAMPBELLTOWN PA
17010 AUX/ENG/HP PUMP:
Act/Shp Dte: 4/02/04 Mun. Cd: GOV Blower Model: ROOTS824RCSV-18
** C H A S S I S ** Ord Sts: Blower S/N: 0403973415
Year: 2004 Make: FREIGHTLINER Trans/T.C. Make: COTTA
Model: M2 106MD 4X2 Eng: C-7 Trans/T.C. S/N: 183332
W.B. 222 C.A. 156 A.F. 97 HP: 300.00 RPM 2200 Paint Instructions
Trans Mk: ALLISON Model: MD-3066P MATCH CAB WHITE
Dealer Name: FREIGHTLINER OF HARRISBURG
Dealer Phone: 717-564-6151 Vin: 1FVACYDC84HN25253 DPY: ORD: INP:
F15=Ord/Text F4=Recalc Price F5=To Add Next SO# F6=Msg Select
F24=Change Dist CF1/3-Exit F2=Bypass F7=Detail F10=G/L F12=Add P/Instr.

CSC