



Please send FAX from this edge.
(800)982-4021

Counter

Serial No.: M6415900230

Data of Today: Jun. 07,2018 11:49 AM

Total	45783
-------	-------

System Reference

Unit Number	M6415900230	Total Memory	512 MB
Total Counter	45783		
Firmware Version	Printer[1.18e / D0205338K], System[1.18 / D0195331Q], Engine[1.07:06 / D0195550H], LCDC[1.10 / D0191491B], NIB[7.37 / D0205334K]		
Device Connection	Hard Disk Drive		
HDD: Font / Macro Download	Free Space 510444 KB , Disk Capacity 510446 KB		
Printer Language	RPCS [3.6.9], PCL 5e [1.07], PCL XL [1.07]		
Attached Equipment	Bypass Tray		

Paper Input

Tray Priority	Tray 1
Bypass Tray	11 x 17 Plain Paper Tray Locked Duplex Unavailable
Tray 1	11 x 8 1/2 Plain Paper
Tray 2	8 1/2 x 11 Plain Paper

System

Print Error Report	Off	Auto Continue	Off
Memory Overflow	Do not Print	Rotate by 180 Degrees	Off
Auto Del. Temp. Print Jobs	Off	Hours to Delete	8
Auto Del Stored Print Jobs	On	Days to Delete	3
Initial Print Job List	Complete List	Memory Usage	Frame Priority
Duplex	Off	Copies	1
Blank Page Print	On	Edge Smoothing	On
Toner Saving	Off	Reserved Job Waiting Time	Short Wait
Sub Paper Size	Off	Page Size	8 1/2 x 11
Letterhead Setting	Off	Bypass Tray Setting Priority	Driver / Command
Edge to Edge Print	Off	Tray Switching	Off

* indicates a non-default setting.

PCL Menu

Orientation	Portrait	Form Lines	60
Font Source	Resident	Font Number	0
Point Size	12.00	Font Pitch	10.00
Symbol Set	PC-8	Courier Font	Regular
Extend A4 Width	Off	Append CR to LF	Off
Resolution	600 dpi		

Host Interface

I/O Buffer	128 KB	I/O Timeout	15 seconds
DHCP	*Off	IPv4 Address	192.168.001.193
Sub-net Mask	255.255.255.000	IPv4 Gateway Address	192.168.001.001
IPv6 Stateless Setting	Active	NW Frame Type	Auto Select
IPv4	Active	IPv6	Inactive
NetWare	Active	SMB	Active
AppleTalk	Active	Ethernet Speed	Auto Select
Fixed USB Port	Off		

Interface Information

MAC Address	00.26.73.36.82.c5	Host Name	RNP3682C5
Operation Mode (NetWare)	Print Server	Print Server Name(NetWare)	RNP3682C5
File Server Name (NetWare)	Not Defined	NDS Context Name (NetWare)	Not Defined
Workgroups Name (SMB)	WORKGROUP	Network Path Name (SMB)	\\RNP3682C5\2550B_425B
Invalid Interface	Not Detected		

LANIER MP 2550B/LD425B

PCL Configuration Page

PCL Configuration

PCL Version ———— 1.07

PCL Menu

Orientation ———— Portrait

Portrait
Landscape

Courier Font ———— Regular

Regular
Dark

Form Lines ———— 60 line(s)

5 line(s) - 128 line(s)

Extend A4 Width ——— Off

On
Off

Font Source ———— Resident

Resident

Append CR to LF ——— Off

On
Off

Font Number ———— 0

0 - 63

Resolution ———— 600 dpi

300 dpi
600 dpi

Point Size ———— 12.00 points

4.00 points - 999.75 points

Font Pitch ———— 10.00 pitch(es)

0.44 pitch(es) - 99.99 pitch(es)

Symbol Set ———— PC-8

Roman-8	MS Publ
ISO L1	Math-8
ISO L2	PS Math
ISO L5	VN Math
PC-8	Pifont
PC-8 D/N	Legal
PC-850	ISO 4
PC-852	ISO 6
PC8-TK	ISO 11
Win L1	ISO 15
Win L2	ISO 17
Win L5	ISO 21
Desktop	ISO 60
PS Text	ISO 69
VN Intl	Win 3.0
VN US	