

Office Automation Proposal for

Edgeworth Borough

SHARP MX 2600

- ≥ 26 ppm Black and COLOR
- > Network Printing
- Network Fax
- > Network Scanning
 - scan to email/desktop/folder
- Automatic Reversing Document Feeder
- ➤ 2 x 500 sheet paper trays
- ➤ 100 sheet multi-purpose tray
- > 80 GB Hard drive
- > Full Size Keyboard
- > Document Management

Delivery, Installation, and Training

- ► Electronic Sorting
- > Right Side Exit Tray



Comprehensive Maintenance & Supply Program -

This coverage includes all service calls, labor costs, part and drum replacements; all consumable supplies, toner and developer, everything except paper. Repairs will be made during normal business hours.

E 2. 1

9-27-10

1607 Route 51 South * Jefferson Hills, PA 15025 412-382-4000 * 412-382-4045 fax www.precisioncopyproducts.com



ENHANCED PRODUCTIVITY FOR THE WORKGROUP

Sharp's MX-2600N and MX-3100N series color document systems have been meticulously engineered to help businesses maximize their document workflow efficiency while providing outstanding image quality and performance. These new models offer many advanced features such as a large, **high resolution touch-screen color display** with **graphical menu navigation** and a **full-size retractable keyboard** to make data entry easy. Plus, with a powerful 800 MHz true multitasking controller, the MX-2600N and MX-3100N can help save time and money producing professional color documents in-house with breathtaking image quality that is also economical.



Sharp's Innovative Features

- Powerful 800 MHz true multi-tasking full-color document system
- Large, high resolution touch-screen color display with graphical navigation
- Advanced second generation micro-fine toner technology offers sharp, high quality images page after page
- 1200 x 1200 dpi printing provides clear, crisp images even on jobs with fine detail
- Industry leading ImageSEND[™] function scans documents to USB devices, network folders, e-mail and more
- Robust 38 GB document filing system with thumbnail view and image preview features
- Network ready PCL[®]6/PCL5c printing system with direct print function and available
 Postscript[®] 3[™] and Windows[®] XPS options
- Supports the latest Sharp OSA® development platform, enabling businesses to streamline document workflow and enhance productivity faster and easier than ever
- New remote front panel feature allows users and administrators to view and control machine operations from a PC workstation*

Built-in Retractable Keyboard for Added Convenience

For workgroups that perform a significant amount of data entry, the new MX-2600N and MX-3100N color workgroup document systems include a standard retractable keyboard. Designed to simplify email address and subject line entries, as well as repetitive scanning tasks and user authentication, the built-in keyboard offers users a familiar ergonomic interface.

Reliability Your Business Can Depend On

Sharp's MX color workgroup document systems deliver professional performance and optimal productivity to satisfy your daily production needs. Copy/print **speeds up to 26 ppm and 31 ppm** respectively (in both color or B&W) help you to meet project deadlines with time to spare. The flexible paper handling system can feed up to 110 lb index stock through the paper trays and up to 140 lb index through the bypass trays. With available on-line paper capacity of up to 5,600 sheets, the MX-2600N/3100N is ready when you are.

The Flexibility and Performance You Need

With a new 8.5" (diagonally measured) highresolution touch-screen color display and a powerful 800 MHz multi-tasking controller, the new MX-2600N and MX-3100N color workgroup document systems can help elevate your office productivity to the next level.

Designed with a Strong Commitment to Protecting the Environment

The MX-2600N and MX-3100N document systems utilize Sharp's second generation micro-fine toner technology, which offers a lower consumption rate than conventional toners. This also results in less packaging material and longer replacement intervals. Additionally, all Sharp supplies are packaged using fully recyclable materials.

24/7 Training with My Sharp

Managing all of the advanced features of your Sharp product is simple and easy. Ask your Authorized Sharp Dealer about the **My Sharp™ website**. This dedicated customer training website is customized to your MX-2600N/3100N and allows you to locate resources and find information specific to your configuration, truly helping you maximize your investment.



^{*} Some features require optional equipment.

MX-2600N/MX-3100N SPECIFICATIONS

MX-2600N/3100N	Includes multi-tasking controller, 80 GB HDD with document filing
	system, PCL®5c/PCL6 network printing, network scanning, 100-sheet RSPF,
	auto-duplex, two 500-sheet paper drawers and 100-sheet bypass. Black
	and color developer is included in the box.
Туре	Console, color multi-function digital document system
Functions	Copy, print, network print, network scan, document filing and fax ¹
Copy System	Dry electrostatic transfer/Dual component developer/Magnetic brush development/OPC drums/Heat Roller fusing/Xenon lamp exposure
0-1-11-	Sheets and bound documents
Originals Max Original Size	11" x 17"
Copy Size	Min. 5 ½" x 8 ½", Max. 11 "x 17" + 12" x 18"
Copy Speed	MX-2600N: 26 ppm B&W/Color (8 ½"x 11")
сору эрееи	MX-3100N: 31 ppm B&W/Color (8 ½"x 11")
Multiple Copy:	Max. 999 copies
First Copy time:	Platen glass: 6 seconds (B&W); 8.9 seconds (color) RSPF: 10.7 seconds (B&W); 13.5 seconds (color) (Based on letter size original using copy tray 1
	with laser unit motor running)2
Warm Up Time	60 Seconds or less ²
Magnification	25% to 400% in 1% increments (with document feeder 25%-200%)
Original Feed	100-sheet RSPF with original size detection
Scan Speed	Copy mode: Up to 50 OPM (B&W) @ 600 x 400 dpi; Up to 36 OPM (Color) @ 600 x 600 dpi.
	Network Scan: Up to 50 OPM (B&W or Color) 200 x 200 dpi.
	All times based on single-side letter originals.
Original Sizes	5 ½" x 8 ½", 8 ½" x 11", 8 ½" x 11" R, 8 ½" x 14", 11" x 17" (13-32 lb. bond
Paper Feed System	Standard: (2) 500-sheet paper drawers (letter/legal/ledger/statement
	size) and 100-sheet bypass tray (letter/legal/ledger/statement/
	envelope size).
	Optional: (1) 500-sheet paper drawer (letter/legal/ledger/statement size
	or (2) 500-sheet paper drawers (letter/legal/ledger/statement size)
	and 3500-sheet large capacity tray (letter size). See your local dealer
	for configurations.
Paper Types	Paper drawers: 16 lb. bond –110 lb. index, large capacity tray:
	16-28 lb. bond. Other paper types include plain, pre-printed, recycled,
	pre-punched, letterhead and color paper. Bypass Tray: 16-28 lb. bond (plain paper), 13-16 lb. bond (thin paper), 110-140 lb. index (heavy
	paper), 20–24 lb. bond (Monarch/Com–10 envelope), tab paper (letter
	size only). Other types include label paper, gloss paper, pre-printed,
	recycled, pre-punched, letterhead, color paper and OHP film.
Duplexing	Standard automatic duplex copying and printing
CPU	Power QUICCIII-MPC8533E (800MHz)
Interface	RJ-45 Ethernet (10/100/1000Base-T), USB 2.0 (host port),
	USB 2.0 (device port)
Memory	Standard 1 GB (copier); 512 MB (printer/network scanning) memory
Hard Disk Drive	80 GB; 38GB for document filing system and electronic sorting
Copy Resolution	Scan: B&W/color: 600 DPI; Copy Output: B&W/color: 600 DPI
	Auto Color Control (ACS), Full Color Mode, Monochrome (B/W), 2 Colo
Copy Resolution Color modes	Auto Color Control (ACS), Full Color Mode, Monochrome (B/W), 2 Colo Mode, Single Color mode
Copy Resolution	Auto Color Control (ACS), Full Color Mode, Monochrome (B/W), 2 Colo Mode, Single Color mode Modes: Automatic Text, Text/Photo, Text/Printed-Photo, Printed-Photo,
Copy Resolution Color modes	Auto Color Control (ACS), Full Color Mode, Monochrome (B/W), 2 Colo Mode, Single Color mode Modes: Automatic Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color document. Settings: Auto exposure control or 9
Copy Resolution Color modes	Auto Color Control (ACS), Full Color Mode, Monochrome (B/W), 2 Colo Mode, Single Color mode Modes: Automatic Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color document. Settings: Auto exposure control or 9 step manual exposure.
Copy Resolution Color modes Exposure Control Halftone	Auto Color Control (ACS), Full Color Mode, Monochrome (B/W), 2 Color Mode, Single Color mode Modes: Automatic Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color document. Settings: Auto exposure control or 9 step manual exposure. 256 gradiations/2 levels (monochrome)
Copy Resolution Color modes Exposure Control	Auto Color Control (ACS), Full Color Mode, Monochrome (B/W), 2 Colo Mode, Single Color mode Modes: Automatic Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color document. Settings: Auto exposure control or 9 step manual exposure. 256 gradiations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color
Copy Resolution Color modes Exposure Control Halftone	Auto Color Control (ACS), Full Color Mode, Monochrome (B/W), 2 Colo Modes, Single Color mode Modes: Automatic Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color document. Settings: Auto exposure control or 9 step manual exposure. 256 gradiations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing (ACS), Auto Paper Sensing (APS), Auto Magnification Sensing
Copy Resolution Color modes Exposure Control Halftone	Auto Color Control (ACS), Full Color Mode, Monochrome (B/W), 2 Color Mode, Single Color mode Modes: Automatic Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color document. Settings: Auto exposure control or 9 step manual exposure. 256 gradiations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing (ACS), Auto Paper Sensing (APS), Auto Magnification Sensing (AMS), auto tray switching, rotation copy, reserve copy, tandem copy, book
Copy Resolution Color modes Exposure Control Halftone	Auto Color Control (ACS), Full Color Mode, Monochrome (B/W), 2 Colo Mode, Single Color mode Modes: Automatic Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color document. Settings: Auto exposure control or 9 step manual exposure. 256 gradiations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing (ACS), Auto Paper Sensing (APS), Auto Magnification Sensing (AMS), auto tray switching, rotation copy, reserve copy, tandem copy, book copy, margin shift, tab-paper insertion, edge erase, center erase, dual page copy, cover pages, insert pages, OHP insertion, job build, card shot,
Copy Resolution Color modes Exposure Control Halftone	Auto Color Control (ACS), Full Color Mode, Monochrome (B/W), 2 Color Mode, Single Color mode Modes: Automatic Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color document. Settings: Auto exposure control or 9 steep manual exposure. 256 gradiations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing (ACS), Auto Paper Sensing (APS), Auto Magnification Sensing (AMS), auto tray switching, rotation copy, reserve copy, tandem copy, book copy, margin shift, tab-paper insertion, edge erase, center erase, dual page copy, cover pages, insert pages, OHP insertion, job build, card shot, multi-page enlargement, reverse image, black-white reversal, centering,
Copy Resolution Color modes Exposure Control Halftone	Auto Color Control (ACS), Full Color Mode, Monochrome (B/W), 2 Color Mode, Single Color mode Modes: Automatic Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color document. Settings: Auto exposure control or 9 step manual exposure. 256 gradiations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing (ACS), Auto Paper Sensing (APS), Auto Magnification Sensing (AMS), auto tray switching, rotation copy, reserve copy, tandem copy, book copy, margin shift, tab-paper insertion, edge erase, center erase, dual page copy, cover pages, issert pages, OHP insertion, job build, card shot, multi-page enlargement, reverse image, black-white reversal, centering, proof copy, 2-in-1/4-in1, pamphlet, photo repeat, document filing, account
Copy Resolution Color modes Exposure Control Halftone Copy Features	Auto Color Control (ACS), Full Color Mode, Monochrome (B/W), 2 Color Mode, Single Color mode Modes: Automatic Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color document. Settings: Auto exposure control or 9 step manual exposure. 256 gradiations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing (ACS), Auto Paper Sensing (APS), Auto Magnification Sensing (AMS), auto tray switching, rotation copy, reserve copy, tandem copy, book copy, margin shift, tab-paper insertion, edge erase, center erase, dual page copy, cover pages, insert pages, OHP insertion, job build, card shot, multi-page enlargement, reverse image, black-white reversal, centering, proof copy, 2-in-1/4-in1, pamphlet, photo repeat, document filing, account management, job programs, date/character/page stamp (color).
Copy Resolution Color modes Exposure Control Halftone	Auto Color Control (ACS), Full Color Mode, Monochrome (B/W), 2 Color Mode, Single Color mode Modes: Automatic Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color document. Settings: Auto exposure control or 9 step manual exposure. 256 gradiations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing (ACS), Auto Paper Sensing (APS), Auto Magnification Sensing (AMS), auto tray switching, rotation copy, reserve copy, tandem copy, book copy, margin shift, tab-paper insertion, edge erase, center erase, dual page copy, cover pages, insert pages, OHP insertion, job build, card shot, multi-page enlargement, reverse image, black-white reversal, centering, proof copy, 2-in-1/4-in1, pamphlet, photo repeat, document filing, account management, job programs, date/character/page stamp (color). Up to 1000 users. Supports user-number authentication (on device), login
Copy Resolution Color modes Exposure Control Halftone Copy Features	Auto Color Control (ACS), Full Color Mode, Monochrome (B/W), 2 Color Mode, Single Color mode Modes: Automatic Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color document. Settings: Auto exposure control or 9 step manual exposure. 256 gradiations/2 Tevels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing (ACS), Auto Paper Sensing (APS), Auto Magnification Sensing (AMS), auto tray switching, rotation copy, reserve copy, tandem copy, book copy, margin shift, tab-paper insertion, edge erase, center erase, dual page copy, cover pages, insert pages, OHP insertion, job build, ard shot, multi-page enlargement, reverse image, black-white reversal, centering, proof copy, 2-in-1/4-in-1, pamphlet, photo repeat, document filing, account management, job programs, date/character/page stamp (color). Up to 1000 users. Supports user-number authentication (on device), login name/password (on device) or login name/password (on device via LDAP).
Copy Resolution Color modes Exposure Control Halftone Copy Features Account Control	Auto Color Control (ACS), Full Color Mode, Monochrome (B/W), 2 Color Mode, Single Color mode Modes: Automatic Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color document. Settings: Auto exposure control or 9 step manual exposure. 256 gradiations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing (ACS), Auto Paper Sensing (APS), Auto Magnification Sensing (AMS), auto tray switching, rotation copy, reserve copy, tandem copy, book copy, margin shift, tab-paper insertion, edge erase, center erase, dual page copy, cover pages, insert pages, OHP insertion, job build, card shot, multi-page enlargement, reverse image, black-white reversal, centering, proof copy, 2-in-1/4-in1, pamphlet, photo repeat, document filing, accoun management, job programs, date/character/page stamp (color). Up to 1000 users. Supports user-number authentication (on device), login name/password (on device via LDAP server) for Copy, Print, Scan, Fax and document management.
Copy Resolution Color modes Exposure Control Halftone Copy Features Account Control	Auto Color Control (ACS), Full Color Mode, Monochrome (B/W), 2 Color Mode, Single Color mode Modes: Automatic Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color document. Settings: Auto exposure control or 9 step manual exposure. 256 gradilations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing (ACS), Auto Paper Sensing (APS), Auto Magnification Sensing (AMS), auto tray switching, rotation copy, reserve copy, tandem copy, book copy, margin shift, tab-paper insertion, edge erase, center erase, dual page copy, cover pages, insert pages, OHP insertion, job build, card shot, multi-page enlargement, reverse image, black-white reversal, centering, proof copy, 2-in-1/4-in1, pamphlet, photo repeat, document filing, account management, job programs, date/character/page stamp (color). Up to 1000 users. Supports user-number authentication (on device), login name/password (on device) or login name/password (on device via LDAP server) for Copy, Print, Scan, Fax and document management. Main output tray (top) 500 sheets (face down); optional eject tray
Copy Resolution Color modes Exposure Control Halftone Copy Features Account Control Output Tray Capacity	Auto Color Control (ACS), Full Color Mode, Monochrome (B/W), 2 Color Mode, Single Color mode Modes: Automatic Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color document. Settings: Auto exposure control or 9 step manual exposure. 256 gradiations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing (ACS), Auto Paper Sensing (APS), Auto Magnification Sensing (AMS), auto tray switching, rotation copy, reserve copy, tandem copy, book copy, margin shift, tab-paper insertion, edge erase, center erase, dual page copy, cover pages, insert pages, OHP insertion, job build, card shot, multi-page enlargement, reverse image, black-white reversal, centering, proof copy, 2-in-1/4-in-1, pamphlet, photo repeat, document filing, account management, job programs, date/character/page stamp (color). Up to 1000 users. Supports user-number authentication (on device), login name/password (on device) or login name/password (on device via LDAP server) for Copy, Print, Scan, Fax and document management. Main output tray (top) 500 sheets (face down); optional eject tray (right 1 side) 100 sheets (face down)
Copy Resolution Color modes Exposure Control Halftone Copy Features Account Control Output Tray Capacity Firmware	Auto Color Control (ACS), Full Color Mode, Monochrome (B/W), 2 Colo Mode, Single Color mode Modes: Automatic Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color document. Settings: Auto exposure control or 9 step manual exposure. 256 gradiations/2 Tevels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing (ACS), Auto Paper Sensing (APS), Auto Magnification Sensing (AMS), auto tray switching, rotation copy, reserve copy, tandem copy, book copy, margin shift, tab-paper insertion, edge erase, center erase, dual page copy, cover pages, insert pages, OHP insertion, job build, and shot, multi-page enlargement, reverse image, black-white reversal, centering, proof copy, 2-in-1/4-in-1, pamphlet, photo repeat, document filing, accoun management, job programs, date/character/page stamp (color). Up to 1000 users. Supports user-number authentication (on device), login name/password (on device) or login name/password (on device via LDAP server) for Copy, Print, Scan, Fax and document management. Main output tray (top) 500 sheets (face down); optional eject tray (right 1 side) 100 sheets (face down).
Copy Resolution Color modes Exposure Control Halftone Copy Features Account Control Output Tray Capacity Firmware Management	Auto Color Control (ACS), Full Color Mode, Monochrome (B/W), 2 Color Mode, Single Color mode Modes: Automatic Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color document. Settings: Auto exposure control or 9 step manual exposure. 256 gradiations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing (ACS), Auto Paper Sensing (APS), Auto Magnification Sensing (AMS), auto tray switching, rotation copy, reserve copy, tandem copy, book copy, margin shift, tab-paper insertion, edge erase, center erase, dual page copy, cover pages, insert pages, OHP insertion, job build, card shot, multi-page enlargement, reverse image, black-white reversal, centering, proof copy, 2-in-1/4-in-1, pamphlet, photo repeat, document filing, account management, job programs, date/character/page stamp (color). Up to 1000 users. Supports user-number authentication (on device), login name/password (on device) or login name/password (on device via LDAP server) for Copy, Print, Scan, Fax and document management. Main output tray (top) 500 sheets (face down); optional eject tray (right 1 side) 100 sheets (face down)
Copy Resolution Color modes Exposure Control Halftone Copy Features Account Control Output Tray Capacity Firmware	Auto Color Control (ACS), Full Color Mode, Monochrome (B/W), 2 Color Mode, Single Color mode Modes: Automatic Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color document. Settings: Auto exposure control or 9 step manual exposure. 256 gradiations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing (ACS), Auto Paper Sensing (APS), Auto Magnification Sensing (AMS), auto tray switching, rotation copy, reserve copy, tandern copy, book copy, margin shift, tab-paper insertion, edge erase, center erase, dual page copy, cover pages, insert pages, OHP insertion, job build, card shot, multi-page enlargement, reverse image, black-white reversal, centering, proof copy, 2-in-1/4-in1, pamphlet, photo repeat, document filing, account management, job programs, date/character/page stamp (color). Up to 1000 users. Supports user-number authentitation (on device), login name/password (on device) or login name/password (on device) at login name/password (on device) at LDAP server) for Copy, Print, Scan, Fax and document management. Main output tray (top) 500 sheets (face down); optional eject tray (right 1 side) 100 sheets (face down) Hash ROM with local (USB), network update capability and firmware upda 1 to N with PAU (Printer Administration Utility) Web-based management system with user/administrator level login
Copy Resolution Color modes Exposure Control Halftone Copy Features Account Control Output Tray Capacity Firmware Management Configuration	Auto Color Control (ACS), Full Color Mode, Monochrome (B/W), 2 Color Mode, Single Color mode Modes: Automatic Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color document. Settings: Auto exposure control or 9 step manual exposure. 256 gradiations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing (ACS), Auto Paper Sensing (APS), Auto Magnification Sensing (AMS), auto tray switching, rotation copy, reserve copy, tandem copy, book copy, margin shift, tab-paper insertion, edge erase, center erase, dual page copy, cover pages, insert pages, OHP insertion, job build, card shot, multi-page enlargement, reverse image, black-white reversal, centering, proof copy, 2-in-1/4-in1, pamphlet, photo repeat, document filing, accoun management, job programs, date/character/page stamp (color). Up to 1000 users. Supports user-number authentication (on device), login name/password (on device) or login name/password (on device via LDAP server) for Copy, Print, Scan, Fax and document management. Main output tray (top) 500 sheets (face down); optional eject tray (right 1 side) 100 sheets (face down) 1 ash ROM with local (USB), network update capability and firmware upda 1 to N with PAU (Printer Administration Utility)
Copy Resolution Color modes Exposure Control Halftone Copy Features Account Control Output Tray Capacity Firmwagement Configuration Method	Auto Color Control (ACS), Full Color Mode, Monochrome (B/W), 2 Color Mode, Single Color mode Modes: Automatic Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color document. Settings: Auto exposure control or 9 step manual exposure. 256 gradilations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing (ACS), Auto Paper Sensing (APS), Auto Magnification Sensing (AMS), auto tray switching, rotation copy, reserve copy, tandem copy, book copy, margin shift, tab-paper insertion, edge erase, center erase, dual page copy, cover pages, insert pages, OHP insertion, job build, card shot, multi-page enlargement, reverse image, black-white reversal, centering, proof copy, 2-in-1/4-in1, pamphlet, photo repeat, document filing, account management, job programs, date/character/page stamp (color). Up to 1000 users. Supports user-number authentication (on device), login name/password (on device) or login name/password (on device) and office of copy, Print, Scan, Fax and document management. Main output tray (top) 500 sheets (face down); optional eject tray (right 1 side) 100 sheets (face down). Hash ROM with local (USB), network update capability and firmware upda 1 to N with PAU (Printer Administration Utility)
Copy Resolution Color modes Exposure Control Halftone Copy Features Account Control Output Tray Capacity Firmware Management Configuration Method Service/Maintanence	Auto Color Control (ACS), Full Color Mode, Monochrome (B/W), 2 Color Mode, Single Color mode Modes: Automatic Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color document. Settings: Auto exposure control or 9 step manual exposure. 256 gradiations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing (ACS), Auto Paper Sensing (APS), Auto Magnification Sensing (AMS), auto tray switching, rotation copy, reserve copy, tandem copy, book copy, margin shift, tab-paper insertion, edge erase, center erase, dual page copy, cover pages, insert pages, OHP insertion, job build, card shot, multi-page enlargement, reverse image, black-white reversal, centering, proof copy, 2-in-1/4-in1, pamphlet, photo repeat, document filing, account management, job programs, date/character/page stamp (color). Up to 1000 users. Supports user-number authentication (on device), login name/password (on device) or login name/password (on device) and to management. Main output tray (top) 500 sheets (face down); optional eject tray (right 1 side) 100 sheets (face down) Hash ROM with local (USB), network update capability and firmware updat 1 to N with PAU (plice). The page management with user/administrator level login security, cloning (1 to N) with PAU and remote front panel access. Remote front panel access, remote access to service logs and click counts
Copy Resolution Color modes Exposure Control Halftone Copy Features Account Control Output Tray Capacity Firmware Management Configuration Method Service/Maintanence Power	Auto Color Control (ACS), Full Color Mode, Monochrome (B/W), 2 Color Mode, Single Color mode Modes: Automatic Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color document. Settings: Auto exposure control or 9 step manual exposure. 256 gradiations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing (ACS), Auto Paper Sensing (APS), Auto Magnification Sensing (AMS), auto tray switching, rotation copy, reserve copy, tandem copy, book copy, margin shift, tab-paper insertion, edge erase, center erase, dual page copy, cover pages, insert pages, OHP insertion, job build, card shot, multi-page enlargement, reverse image, black-white reversal, centering, proof copy, 2-in-1/4-in1, pamphlet, photo repeat, document filing, account management, job programs, date/character/page stamp (color). Up to 1000 users. Supports user-number authentication (on device), login name/password (on device) or login name/password (on device via LDAP server) for Copy, Print, Scan, Fax and document management. Main output tray (top) 500 sheets (face down); optional eject tray (right 1 side) 100 sheets (face down) Hash ROM with local (USB), network update capability and firmware upda 1 to N with PAU (Printer Administration Utility) Web-based management system with user/administrator level login security, cloning (1 to N) with PAU and remote front panel access. Remote front panel access, remote access to service logs and click counts AC 100-127 VAC, 60 HZ, 12 Amps

	g System (standard)
PDL	PCL® 6/PCLSc compatible, optional Postscript 3, optional XPS
Resolution	1200 dpi, 600 dpi
Print Speed	26/31 pages per minute (8 ½" x 11")
Print Drivers	Windows 98, Windows Me, Windows NT® 4 (with SP5 or later), Windows 2000, Windows Server® 2003, Windows XP, Windows XP x64, Windows
	Server x64, Windows Vista™, Windows Vista x64, MAC OS®, 9.2.2, OSX
	(including 10.2.8, 10.3.9, 10.4.11, 10.5-10.5.1), all MAC PPD. Windows
	Server 2008 drivers not available at time of launch.
Features	Continuous printing, duplex printing, pamphlet printing, N-up printing, image notation, different cover page/last page, transparency inserts, tab printing, carbon copy print mode, fit-to-page, poster print, margin shift, mirror image, watermarks, overlay, confidential print, confidential batch print, print hold, proof print, bypass printing, job priority printing, print job control, tandem printing and direct printing (Note: some features not
	available on certain print drivers).
Direct Printing	File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Postscript and XPS Methods: FTP, Web page, E-mail and USB memory
Davidant Cante	80 outline fonts
Resident Fonts	RJ-45 Ethernet 10/100/1000 Base-T
Interface	Windows 98/ME, NT 4.0, XP, 2003/2008 Server, Vista, Novell® Netware®
Operating Systems	3x, 4x, 5x, MAC OS 9, OSX (including 10.5.1), Sun® OS 4.1x, Solaris® 2x,
	Unix®, Linux® and Citrix® (Metaframe, Presentation Server 4, 4.5) and
	Windows Terminal Services.
Network Protocols	TCP/IP (IPv4, IPv6, IPSEC) SSL (HTTP, IPP, FTP), SNMPv3, 802.1x for Window
	and Unix. LPD and LPR for UNIX. IPX/SPX® for Novell environments
	EtherTalk® and NetBEUI. AppleTalk® for Macintosh® environments.
Printing Protocols	LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP and Novell Pserver/Rprinter
Network Security	IP/Mac address filtering, protocol filtering, port management, use authentication and document administration.
Security Standards	IEEE-2600, DoD (NSTISSP) #11, DoD Directive 8500.2, DoD (DISA)
Network Scannii	ng System (standard)
Max Original Size	11" x 17"
Optical Resolution	600 DPI
Output Modes	600 dpi, 400 dpi, 300 dpi, 200 dpi, 100 dpi
Scan Modes	Color, monochrome, grayscale
Image Formats	Monochrome: TIFF, PDF, Encrypted PDF, XPS
•	Color: Grayscale, Color TIFF, JPG, PDF, Encrypted PDF, XPS Internet Fax: TIFF-FX, FIFF-F, TIFF-S ¹
Image	Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR)
Compression	Color/Grayscale: JPEG (high, middle, low) Internet Fax mode: MH/MMR (option)
Scan Destinations	E-mail, Desktop, FTP, Folder (SMB), USB, Internet fax (option), Super G3
Scan Destinations	fax (option)
One-touch Destinations	Up to 999 (combined scan destinations)
Group Destinations	Up to 500
Programs	48 (combined)
Max. Jobs in Memory	Up to 94
Network Protocols	TCP/IP and SSL (includes HTTP, SMTP, LDAP, FTP, POP3), SMB, ESMTP and 802.1
Network Security	E-mail server user authentication for LDAP and Active Directory
Software	Sharpdesk® desktop document management software (1 user license)
B&W Super G3	
Transmission mode	Super G3, G3
Modem Speed	33.6 KBPS *
Compression Methods	JBIG, MMR, MR, MH
Scanning Method	Sheet fed simplex or duplex or book
Max. Transmit Resolution	400 DPI
Transmit Speed	Approximately 2 Seconds with Super G3/JBIG ⁴
Auto Dialing	Up to 999 (combined scan destinations)
Group	Up to 500
	op to 300
LHAI/Destinations	
Dial/Destinations Inhound Fax	Forwards received fax data to F-mail
Inbound Fax Routing	Forwards received fax data to E-mail
Inbound Fax Routing	
Inbound Fax Routing	Forwards received fax data to E-mail Up to 31.5" (for transmission) 48 (combined)

Туре	Built-in finisher (hole-punch unit option)
Output Capacity	500 sheets (letter/statement) or 250 sheets (ledger/legal size)
Output Delivery	Face down
Stapling Media	Plain paper, (letter, legal, or ledger size)
Stapling Positions	1 front, 1 rear, or both
Power Source	Supplied from main unit
Stapling	Up to 50 sheets (letter size) or 30 sheets (legal, ledger or mixed)
Stapled Sets	30 bundles or 500 sheets (letter or statement size) or 30 bundles or 250
supred Sels	sheets (legal or ledger size)
Hole Punching	Optional hole punch unit MX-PNX1B (2 holes/3 holes)
Weight	Approx: 28.7 lbs.
Dimensions	25.2" (w) x 28.94" (d) x 8.1" (h) (includes extended tray)
Saddle Stitch Fir	isher (option)
Туре	Console finisher with dual exit trays (mounts on left side of host machine
Output Trays	Upper tray: Offset stack tray
	Lower tray: Book tray for saddle stitch
Output Capacity	1000 sheets (letter/statement size) or
sorpus capatity	500 sheets (legal, ledger or letter-R size)
Stapling	Up to 50 sheets (letter/statement) or 25 sheets (legal, ledger or mixed)
Output Delivery	Face down
Stapling Media	Plain paper, letter/legal/ledger size or mixed
Stapling Positions	1 front, 1 rear, or both
Stapping Positions Saddle Stitch Function	Center stitch/center folding (2 staples) letter/legal/ledger paper sizes
Saddle Stitch Hunction Saddle Stitch Max. Sets	Up to 10 sets (11–15 sheets per set)/15 sets (6–10 sheets per set)/20 set
Saucie Stitch Max. Sets	(1–5 sheets per set)
Power Consumption	70 W or less
Hole Punching	Optional hole punch unit MX-PNX5B (2 holes/3 holes)
Weight	Approx: 88.18 lbs.
Dimensions	25.83" (w) x 24.84" (d) x 38.9" (h) (with tray extended)
Large Capacity T Type	Large capacity paper feed desk
Paper Size	Letter size, 16–21 lbs. Bond
Capacity	3500 sheets
Paper Types	Plain paper, pre-printed, recycled, letterhead, pre-punched and colored paper
Power Source	Supplied from main unit
Power Consumption	26.4 W, 40.8W when tray is rising
Weight	Approx: 63.9 lbs. 14 9/16" (w) x 21 21/32" (d) x 20 15/32" (h)
Dimensions	14 7/10 (W) X Z1 Z1/3Z (U) X Z0 (3/3Z (II)
MX-DEX6	Stand/1 x 500 Sheet Paper Drawer
MX-DEX6 MX-DEX7	Stand/1 x 500 Sheet Paper Drawer Stand/2 x 500 Sheet Paper Drawer
MX-DEX6 MX-DEX7 MX-31ABD	Stand/1 x 500 Sheet Paper Drawer Stand/2 x 500 Sheet Paper Drawer Rolling Cabinet Base
MX-DEX6 MX-DEX7 MX-31ABD MX-LCX1	Stand/1 x 500 Sheet Paper Drawer Stand/2 x 500 Sheet Paper Drawer Rolling Cabinet Base Large Capacity Tray (requires MX-DEX6 or MX-DEX7)
MX-DEX6 MX-DEX7 MX-31ABD MX-LCX1 MX-FNX9	Stand/1 x 500 Sheet Paper Drawer Stand/2 x 500 Sheet Paper Drawer Rolling Cabinet Base Large Capacity Tray (requires MX-DEX6 or MX-DEX7) Inner Finisher
MX-DEX6 MX-DEX7 MX-31ABD MX-LCX1 MX-FNX9 MX-FN10	Stand/1 x 500 Sheet Paper Drawer Stand/2 x 500 Sheet Paper Drawer Rolling Cabinet Base Large Capacity Tray (requires MX-DEX6 or MX-DEX7) Inner Finisher Saddle Stitch Finisher
MX-DEX6 MX-DEX7 MX-31ABD MX-LCX1 MX-FNX9 MX-FN10 MX-R8X3	Stand/1 x 500 Sheet Paper Drawer Stand/2 x 500 Sheet Paper Drawer Rolling Cabinet Base Large Capacity Tray (requires MX-DEX6 or MX-DEX7) Inner Finisher Saddle Stitch Finisher Paper Pass Unit (Required for MX-FN10)
MX-DEX6 MX-DEX7 MX-31ABD MX-LCX1 MX-FNX9 MX-FN10 MX-RBX3 MX-PNX1B	Stand/1 x 500 Sheet Paper Drawer Stand/2 x 500 Sheet Paper Drawer Rollling Cabinet Base Large Capacity Tray (requires MX-DEX6 or MX-DEX7) Inner Finisher Saddle Stitch Finisher Paper Pass Unit (Required for MX-FN10) 3 Hole Punch Unit (for Inner Finisher)
MX-DEX6 MX-DEX7 MX-31ABD MX-LCX1 MX-FNX9 MX-FN10 MX-RBX3 MX-PNX1B	Stand/1 x 500 Sheet Paper Drawer Stand/2 x 500 Sheet Paper Drawer Rolling Cabinet Base Large Capacity Tray (requires MX-DEX6 or MX-DEX7) Inner Finisher Saddle Stitch Finisher Paper Pass Unit (Required for MX-FN10) 3 Hole Punch Unit (for Inner Finisher) Punch Unit (for Saddle Stitch Finisher)
MX-DEX6 MX-DEX7 MX-31ABD MX-LCX1 MX-FNX9 MX-FN10 MX-RBX3 MX-PNX1B MX-PNX5B	Stand/1 x 500 Sheet Paper Drawer Stand/2 x 500 Sheet Paper Drawer Rolling Cabinet Base Large Capacity Tray (requires MX-DEX6 or MX-DEX7) Inner Finisher Saddle Stitch Finisher Paper Pass Unit (Required for MX-FN10) 3 Hole Punch Unit (for Inner Finisher) Punch Unit (for Saddle Stitch Finisher) Exit Tray Unit
MX-DEX6 MX-DEX7 MX-31ABD MX-LCX1 MX-FNX9 MX-FN10 MX-RN3 MX-PNX1B MX-PNX1B MX-PNX1B	Stand/1 x 500 Sheet Paper Drawer Stand/2 x 500 Sheet Paper Drawer Rolling Cabinet Base Large Capacity Tray (requires MX-DEX6 or MX-DEX7) Inner Finisher Saddle Stitch Finisher Paper Pass Unit (Required for MX-FN10) 3 Hole Punch Unit (for Inner Finisher) Punch Unit (for Saddle Stitch Finisher)
MX-DEX6 MX-DEX7 MX-31ABD MX-LCX1 MX-FN10 MX-FN10 MX-RSX3 MX-PNX1B MX-PNX5B MX-PXX1 MX-PXX1 MX-PXX1	Stand/1 x 500 Sheet Paper Drawer Stand/2 x 500 Sheet Paper Drawer Rolling Cabinet Base Large Capacity Tray (requires MX-DEX6 or MX-DEX7) Inner Finisher Saddle Stitch Finisher Paper Pass Unit (Required for MX-FN10) 3 Hole Punch Unit (for Inner Finisher) Punch Unit (for Saddle Stitch Finisher) Exit Tray Unit
MX-DEX6 MX-DEX7 MX-31ABD MX-LX1 MX-FN10 MX-FN10 MX-RBX3 MX-PIVX1B MX-PNXSB MX-PVXTB MX-PVXT MX-PVXT	Stand/1 x 500 Sheet Paper Drawer Stand/2 x 500 Sheet Paper Drawer Rolling Cabinet Base Large Capacity Tray (requires MX-DEX6 or MX-DEX7) Inner Finisher Saddle Stitch Finisher Paper Pass Unit (Required for MX-FN10) 3 Hole Punch Unit (for Inner Finisher) Punch Unit (for Saddle Stitch Finisher) Exit Tray Unit Postscript** 3** Kit
MX-DEX6 MX-DEX7 MX-31ABD MX-LX1 MX-FN10 MX-FN10 MX-RBX3 MX-PIVX1B MX-PNXSB MX-PVXTB MX-PVXT MX-PVXT	Stand/1 x 500 Sheet Paper Drawer Stand/2 x 500 Sheet Paper Drawer Rolling Cabinet Base Large Capacity Tray (requires MX-DEX6 or MX-DEX7) Inner Finisher Saddle Stitch Finisher Paper Pass Unit (Required for MX-FN10) 3 Hole Punch Unit (for Inner Finisher) Punch Unit (for Saddle Stitch Finisher) Exit Tray Unit Postscript* 3°* Kit XPS Expansion Kit (Requires MX-SHP1GBXPS)
MX-DEX6 MX-DEX7 MX-31ABD MX-LCX1 MX-LX1 MX-FNY0 MX-FNY10 MX-FNY1B MX-PNY1B MX-PNY1B MX-PNY1B MX-PIXY1	Stand/1 x 500 Sheet Paper Drawer Stand/2 x 500 Sheet Paper Drawer Rolling Cabinet Base Large Capacity Tray (requires MX-DEX6 or MX-DEX7) Inner Finisher Saddle Stitch Finisher Paper Pass Unit (Required for MX-FN10) 3 Hole Punch Unit (for Inner Finisher) Punch Unit (for Saddle Stitch Finisher) Exit Tray Unit XPS Expansion Kit (Requires MX-SHP1GBXPS) 1GB Memory Upgrade (Required for MX-PUX1) Internet Fax Kit
MX-FXX2	Stand/1 x 500 Sheet Paper Drawer Stand/2 x 500 Sheet Paper Drawer Rolling Cabinet Base Large Capacity Tray (requires MX-DEX6 or MX-DEX7) Inner Finisher Saddle Stitch Finisher Paper Pass Unit (Required for MX-FN10) 3 Hole Punch Unit (for Inner Finisher) Punch Unit (for Saddle Stitch Finisher) Exit Tray Unit Postscript** 3** Kit XPS Expansion Kit (Requires MX-SHP1GBXPS) Internet Fax Kit Fax Expansion Kit
MX-DEX6 MX-DEX7 MX-31ABD MX-LCX1 MX-FIX09 MX-FIX10 MX-FIX10 MX-FIX3 MX-PIXX1B MX-PIXX1B MX-PIXX1B MX-PIXX1 MX-PIXX1 MX-PIXX1 MX-PIXX1 MX-PIXX1 MX-FIXX1	Stand/1 x 500 Sheet Paper Drawer Stand/2 x 500 Sheet Paper Drawer Rolling Cabinet Base Large Capacity Tray (requires MX-DEX6 or MX-DEX7) Inner Finisher Saddle Stitch Finisher Paper Pass Unit (Required for MX-FN10) 3 Hole Punch Unit (for Inner Finisher) Punch Unit (for Saddle Stitch Finisher) Exit Tray Unit Postscript** 3** Kit XPS Expansion Kit (Requires MX-SHP1GBXPS) 1GB Memory Upgrade (Required for MX-PUX1) Internet Fax Kit Fax Expansion Kit Bar Code Font Kit
MX-DEX6 MX-DEX7 MX-31ABD MX-LCX1 MX-FIX19 MX-FIX10 MX-RBX3 MX-PIX1B MX-PIX1B MX-PIX1B MX-PIX1B MX-PIX1T MX-PIX1T MX-PIX1 MX-PI	Stand/1 x 500 Sheet Paper Drawer Stand/2 x 500 Sheet Paper Drawer Rolling Cabinet Base Large Capacity Tray (requires MX-DEX6 or MX-DEX7) Inner Finisher Saddle Stitch Finisher Paper Pass Unit (Required for MX-FN10) 3 Hole Punch Unit (for Inner Finisher) Punch Unit (for Saddle Stitch Finisher) Exit Tray Unit Postscript* 3™ Kit XPS Expansion Kit (Requires MX-SHP1GEXPS) 1GB Memory Upgrade (Required for MX-PUX1) Internet Fax Kit Bar Code Fort Kit Application Integration Module
MX-DEX6 MX-DEX7 MX-31ABD MX-LCX1 MX-FIX09 MX-FIX10 MX-FIX10 MX-FIX3 MX-PIXX1B MX-PIXX1B MX-PIXX1 MX-PIXX1 MX-PIXX1 MX-PIXX1 MX-PIXX1 MX-PIXX1 MX-FIXX1	Stand/1 x 500 Sheet Paper Drawer Stand/2 x 500 Sheet Paper Drawer Rolling Cabinet Base Large Capacity Tray (requires MX-DEX6 or MX-DEX7) Inner Finisher Saddle Stitch Finisher Paper Pass Unit (Required for MX-FN10) 3 Hole Punch Unit (for Inner Finisher) Punch Unit (for Saddle Stitch Finisher) Exit Tray Unit Postscript** 3** Kit XPS Expansion Kit (Requires MX-SHP1GBXPS) 1GB Memory Upgrade (Required for MX-PUX1) Internet Fax Kit Fax Expansion Kit Bar Code Font Kit

letter size in standard resolution.



Halftone



Quick on-line transmission, direct transmission, F-Code transmission/

received faxes, secure fax release, out of paper memory reception, auto

redial, 2-in-1 reception, duplex reception transaction reports, activity

reception, rotate transmission, anti-junk fax reception, automatically staple



MX-FR10U

MX-31NTBA MX-31NTCA

MX-31NTMA

MX-31NTYA

MX-31NVBA

MX-31NVSA

MX-31NRSA









SHARP ELECTRONICS CORPORATION Sharp Plaza, Mahwah, NJ 07495-1163 1-800-BE-SHARP • www.sharpusa.com

reports and PC fax.

Design and Specifications subject to change without notice. Sharp, Sharp OSA, Sharpdesk, My Sharp and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Windows, Windows NT, Windows Server and Windows Vista are trademarks or registered trademarks of Microsoft Corporation. All other trademarks are the property of their respective owners.

Data Security Kit (Commercial Version)

Black Toner Cartridge

Cyan Toner Cartridge

Magenta Toner Cartridge

Yellow Toner Cartridge

Cyan/Magenta/Yellow Developer

Black Developer

¹ Some features require optional equipment.
² May vary depending on product configuration, machine settings and operating

and/or environmental conditions.

Actual transmission time will vary based on line conditions.

Based on Sharp Standard Test Chart with approximately 700 characters,